

Publication List

Karsten König (Karsten Koenig)

Content

1. Peer-reviewed Papers	2
2. Proceedings	13
3. Books/ Book Chapters	22
4. Patents	26

Dec 13, 2020

1. Peer-reviewed Papers

1985

1. H.J. Fitting, K. König, D. Hecht. Exoelectron Emission Due to Alkali Ions on Insulating Layers. *Phys. stat. sol. a* 97 (1985) K77-K79.

1987

2. K. König, V. Bockhorn, W. Dietel, H. Schubert. Photochemotherapy of animal tumors with the photosensitizer Methylene Blue using a krypton laser. *J. Cancer Res. Clin. Oncol.* 113 (1987) 301-303.

1988

3. E. Knoth, K. König, W. Grassme, W. Dietel, K.H. Donnerhacke. HpD-induzierte Tumorfluoreszenz. *Z. Erkrank. Atm. Org.* 170 (1988) 170-184.

4. K. König, W. Dietel. Lichtleitereinkopplungsgerät zur Fluoreszenzdiagnostik, Phototherapie und Photochemotherapie. *medizintechnik 1* (1988) 1-2.

5. K. König: Johann Wilhelm Ritter-der Entdecker der UV-Strahlung. *Dermatol. Monatszeitschr.* 174 (1988) 493-497.

1989

6. K. König, E. Welsch, H.G. Walter. Photoakustisches Absorptionsspektrometer. *medizintechnik 1* (1989) 15-18.

7. K. König, V. Bockhorn, U. Krause, W. Dietel, H. Schubert, P. Lotz, L.P. Löbe. Photodynamic therapy with HpD on mice with solid Ehrlich carcinoma. *Arch. Geschw.* 1 (1989) 1-6.

8. K. König, W. Dietel, V. Bockhorn, A. Möller. Laserpilotanlage zum Einsatz in der Urologie. *medizintechnik 2* (1989) 50-51.

9. K. König, W. Dietel. In vivo autofluorescence investigations on animal tumors. *Neoplasma* 36 (1989) 135-138.

10. I. Bugiel, K. König, H. Wabnitz: Investigation of cells by fluorescence laser scanning microscopy with subnanosecond time resolution. *Lasers Life Sciences* 3 (1989) 1-7.

11. V. Bockhorn, A. Möller, W. Dietel, K. König. Lasergestützte transurethrale Resektion von Uroterverschlüssen. *Z. Urol. Nephrol.* 82 (1989) 361-362.

12. K. König, V. Bockhorn. The effect of Nitroimidazoles and photochemotherapy on solid Ehrlichcarcinomas. *Radiobiol. Radiother.* 30 (1989) 535-539.

13. K. König, V. Bockhorn, W. Dietel, H. Schubert. Photochemotherapie an tierexperimentellen Tumoren mit verschiedenen Photosensibilisatoren. *Zeitschr. Urol. Nephrol.* 82 (1989) 601-608.

1990

14. K. König, W. Dietel. Laserinduzierte Tumorfluoreszenzdiagnostik am Beispiel des soliden Ehrlichcarcinoms. *Arch. Geschw.* 60 (1990) 1-9.

15. K. König, A. Felsmann, W. Dietel, M. Boschmann, S.N. Cherenkevich, T. Zorina. Photodynamic activity of the HpD photoproducts. *studies biophysica* 138 (1990) 219-228.

16. W. Dietel, K. König, E. Zenkevich. Photobleaching of HpD Fluorescence and Formation of Photoproduct In-vivo and in Solution. *Lasers Life Sciences* 3 (1990) 197-203.

17. K. König, H. Wabnitz. Fluoreszenzuntersuchungen mit hoher zeitlicher, spektraler und räumlicher Auflösung. *Labortechnik* 23 (1990) 26-31.

18. K. König, H. Wabnitz, W. Dietel. Variation in the fluorescence decay properties of HpD during its conversion to photoproducts. *J. Photochem. Photobiol. B.* 8 (1990) 103-111.

19. L.P. Löbe, K. Krause, P. Lotz, K. König, W. Dietel, H. Schubert, J. Bart. Photodynamische Tumortherapie. Prinzip und erste experimentelle Ergebnisse. *Otolaryng. Pol.* 3 (1990) 175-178.

1991

20. K. König, S. Aucter. Setup for the determination of the photodynamic activity of dyes on the basis of scattering measurements. *Biomed. Techn.* 9 (1991) 201-205.

1992

21. K. König, E. Welsch, H.G. Walter. Photoacoustic absorption measurements on tumor tissue stained with the sensitizer Methylene Blue. *Lasers Life Sciences.* 4 (1992) 209-218.

22. K. König, H. Meyer. Photodynamically Induced Inactivation of *Propionibacterium Acnes* using the Photosensitizer Methylene Blue and Red Light. *Dermatol. Monatschr.* 178 (1992) 297-300.

23. H. Schneckenburger, K. König. Fluorescence decay kinetics and imaging of NAD(P)H and flavins as metabolic indicators. *Opt. Eng.* 31 (1992) 1447-1451.

24. K. König, H. Schneckenburger, A. Rück. Fluorescence detection and photodynamic activity of endogenous protoporphyrin in human skin. *Opt. Eng.* 31 (1992) 1470-1474.

1993

25. K. König, F. Genze, K. Miller, A. Rück, E. Reich, D. Repassy. Photodynamic activity of liposome-delivered Cd-texaphyrin using tumor-bearing nude mice. *Lasers Surg. Med.* 5 (1993) 522-527.
26. K. König, H. Meyer, H. Schneckenburger, A. Rück. The Study of Endogenous Porphyrins in Human Skin and Their Potential for Photodynamic Therapy by Laser Induced Fluorescence Spectroscopy. *Lasers in Medical Science* 8 (1993) 127-132.
27. K. König, H. Meyer. Photodynamische Aktivität von Methylenblau. *Akt. Dermatol.* 19 (1993) 195-198.
28. K. König, H. Meyer, H. Schneckenburger, A. Rück. Fluoreszenzverhalten und photodynamische Wirksamkeit von *Propionibacterium acnes*. *Akt. Dermatol.* 19 (1993) 199-201.
29. K. König, F. Genze, K. Miller. Photodynamic lasertherapy using aminolaevulinic acid and desferrioxamine. *Dermatol. Monatsschr.* 179 (1993) 132-134.
30. K. König, H. Schneckenburger, A. Rück. In vivo photoproduct formation during PDT with ALA-induced endogenous porphyrins. *J. Photochem. Photobiol. B* 18(1993) 287-290.
31. H. Schneckenburger, K. König, K. Kunzi-Rapp, C. Westphal-Frösch. Time-resolved in-vivo fluorescence of photosensitizing porphyrins. *J. Photochem. Photobiol. B* 21 (1993) 143-147.

1994

32. W-H Boehncke, K. König, A. Rück, R. Kaufmann, W. Sterry. In vitro and In vivo Effects of Photodynamic Therapy in Cutaneous T Cell Lymphoma. *Acta Derm.Venerol.* 74(1994) 201-205.
33. W-H Boehncke, K. König, R. Kaufmann, W. Scheffold, O. Prümmer, W. Sterry. Photodynamic therapy in psoriasis: Suppression of cytokine production in vitro and recording of fluorescence modifications during treatment in vivo. *Arch. Dermatol. Res.* 286 (1994) 300-303.
34. K. König, H. Schneckenburger. Laser-Induced Autofluorescence for Medical Diagnosis. *J. Fluorescence* 4 (1) (1994) 17-40.
35. R. Fischer, K. König, A. Rück, W. Puhl, R. Steiner. Einsatz der Fluoreszenzspektroskopie zur selektiven perkutanen Nukleotomie mit dem Excimer-Laser - Experimentelle Untersuchungen. *Z. Orthop.* 132 (1994) 9-15.
36. H. Schneckenburger, T. Dienersberger, K. König, M. Gschwend. Time-Gated Microscopic Imaging and Spectroscopy in Photobiology and Diagnostics. *Lietuvos fizikos zurnalas*, 34 (1-2) (1994) 121-125.
37. K. Orth, K. König, F. Genze, A. Rück. Photodynamic therapy of experimental colonic tumours with 5-aminolevulinic-acid-induced endogenous porphyrins. *J. Cancer Res. Clin. Oncol.* 120 (1994) 657-661.
38. K. König, A. Kienle, W-H. Boehncke, R. Kaufmann, A. Rück, T. Meier, R. Steiner. Photodynamic tumour therapy and on-line fluorescence spectroscopy after ALA administration using 633 nm-light as therapeutic and fluorescence excitation radiation. *Optical Engineering* 33(1994) 2945-2952

1995

39. K. König, Y. Liu, GJ. Sonek, MW. Berns, B. Tromberg. Autofluorescence spectroscopy of optically-trapped cells during light stress. *Photochem. Photobiol.* 62 (5) (1995) 830-835.
40. K. König, H. Liang, MW. Berns, B. Tromberg. Cell damage by near-IR microbeams. *Nature.* 377 (1995) 20-21.
41. Y. Liu, GJ. Sonek, MW. Berns, K. König, BJ Tromberg: Two-Photon fluorescence excitation in continuous-wave infrared optical tweezers. *Optics Lett.* 20 (21) (1995) 2246-2248.

1996

42. K. König, L. Svaasand, Y. Liu, GJ. Sonek, P. Patrizio, J. Tadir, MW. Berns, B. Tromberg. Determination of motility forces of human spermatozoa using an 800nm optical trap. *Cell. Mol. Biol.* 42 (4) (1996) 501-509.
43. K. König, T.Krasieva, E. Bauer, U. Fiedler, MW. Berns, BJ. Tromberg, KO. Greulich. Cell Damage by UVA Radiation of a Mercury Microscopy Lamp Probed by Autofluorescence Modifications, Cloning Assay, and Comet Assay. *J. Biomedical Optics* 1 (2) (1996) 217-222.
44. K. König, H. Liang, M.W. Berns, B.J. Tromberg. Cell damage in near infrared multimode optical traps due to multi-photon absorption. *Optics Letters* 21 (14) (1996) 1090-1092.
45. K. König, S. Kimel, MW. Berns. Photodynamic effects on human and chicken erythrocytes studied with microirradiation and confocal laser scanning microscopy. *Lasers Surg Med.* 19 (1996) 284-298.
46. K. König, P.T.C. So, W.W. Mantulin, BJ Tromberg, E Gratton. Two-photon excited lifetime imaging of autofluorescence in cells during UVA and NIR photostress. *J. Microsc.* 183 (1996) 197-204.
47. K.König, Y. Tadir, P. Patrizio, M.W. Berns, B.J. Tromberg. Effects of Ultraviolet Exposure and Near Infrared Optical Traps on Spermatozoa. *Human Reproduction.* 11 (1996) 2162-2164.
48. K.-J. Halbhuber, K. König: Laser-Mikroskopie in Histochemie und Zellbiologie. *MTA* 11 (1996) 872-877.
49. K. König, U. Simon, K.-J. Halbhuber. 3D-resolved two-photon fluorescence microscopy of living cells using a modified confocal laser scanning microscope. *Cell. mol. Biol.* 42 (1996) 1181-1194.

1997

50. K. König, MW. Berns, BJ. Tromberg. Time-resolved and steady-state fluorescence measurements of NADH-alkohol dehydrogenase complex during UV-A Exposure. *J. Photochem. Photobiol. B.* 11 (1997) 91-95.
51. K. König, P. So, W.W. Mantulin, E. Gratton. Cellular response to near-infrared femtosecond laser pulses in two-photon microscopes. *Opt. Lett.* 22 (1997) 135-136.
52. R. Sailer, W.S.L. Strauss, K. König, A. Rück, R. Steiner. Correlation between porphyrin biosynthesis and photodynamic inactivation of *Pseudomonas aeruginosa* after incubation with 5-aminolaevulinic acid. *J. Photochem. Photobiol. B.* 39 (1997) 236-242.
53. K. König. Two-photon near infrared excitation in living cells. *J. Near Infrared Spectrosc.* 5 (1997) 27-34.

1998

54. K. König. Laser tweezers are sources of two-photon excitation. *Cell. mol. Biol.* 44 (1998) 721-734.
55. P. So, K. König, K. Berland, C.Y. Dong, T. French, C. Buehler, T. Ragan, E. Gratton. New time-resolved techniques in two-photon microscopy. *Cell. mol. Biol.* 44 (1998) 771-794.
56. K.J. Halbhüner, W. Krieg, K. König. Laser scanning microscopy in enzyme histochemistry. Visualization of cerium-based and DAB-based primary reaction products of phosphatases, oxidases and peroxidases by reflectance and transmission laser scanning microscopy. *Cell. mol. Biol.* 44 (1998) 807-826.
57. K. König, S. Boehme, N. Leclerc, R. Ahuja. Time-gated autofluorescence microscopy of motile green microalga in an optical trap. *Cell. mol. Biol.* 44 (1998) 763-770.
58. S. Hellwig, D. Petzoldt, K. König, C. Raulin. Aktueller Stand der Lasertherapie in der Dermatologie. *Hautarzt.* 49 (1998) 690-704.
59. K. König, K.J. Halbhüner. Introduction of the guest editors with a short review on history of optics in Jena. *Cell. mol. Biol.* 44 (1989) 657-672.
60. J. Kampmeier, K. König, T. Meier, E. Schütte, R. Steiner. Intraocular light intensity and spectral analysis using 308 nm excimer lasers via quartz fiber. *Lasers and Light.* 8 (1998) 203-209.
61. K. König, G. Flemming, R. Hibst. Laser-induced autofluorescence spectroscopy of dental caries. *Cell. mol. Biol.* 44 (1998) 1293-1300.

1999

62. K. König, H. Schneckenburger, R. Hibst. Time-gated in vivo imaging of dental caries. *Cell. mol. Biol.* 45 (1999) 233-239.
63. K. König, T.W. Becker, I. Riemann, P. Fischer, K.J. Halbhüner. Pulse-length dependence of cellular response to intense near-infrared laser pulses in multiphoton microscopes. *Opt. Lett.* 24 (1999) 113-115.
64. K. König, I. Riemann, P. Fischer, K.J. Halbhüner. Intracellular nanosurgery with near infrared femtosecond laser pulses. *Cell. mol. Biol.* 45 (1999) 195-201.
65. U. Tirlapur, K. König. Near-infrared femtosecond laser pulses as a novel non-invasive means for dye permeation and 3D imaging of localised dye-coupling in the Arabidopsis root meristem. *The Plant Journal.* 20 (1999) 363-370.

2000

66. H. Oehring, I. Riemann, P. Fischer, K.-J. Halbhüner, K. König. Ultrastructure and reproduction behaviour of single CHO-K1 cells exposed to near infrared femtosecond laser pulses. *Scanning* 22 (2000) 263.
67. K. König: Femtosecond Laser Microscopy in Biomedicine. *Laser und Optoelectronics.* 2 (2000) 40-45.
68. K. König, I. Riemann, P. Fischer, K.-J. Halbhüner. Multiplex FISH and three dimensional DNA imaging with near infrared femtosecond laser pulses. *Histochem. Cell Biol.* 114 (2000) 337-345. DOI. 10.1007/s004180000185.
69. K. König. Invited Review: Multiphoton Microscopy in Life Sciences. *J. Microsc.* 200 (2000) 83-104. + Cover Page.
70. K. König, A. Göhlert, T. Liehr, I.F. Loncarevic, I. Riemann. Two-Photon Multicolour FISH: A technique to detect specific sequences on single DNA molecules in biological cells. *Single Molecules* 1 (2000) 41-52.
71. S. Russwurm, K.J. Böhm, P. Mühlig, M. Wiederhold, K. König, K. Reinhart. Lipopolysaccharide include distinct alterations in the microtubule cytoskeleton of monocytes. *Cell Biology & Toxicology* 16 (2000) 339-346.
72. K. König. Robert Feulgen Prize Lecture 2000. Laser Tweezers and Multiphoton Microscopes in Life Sciences. *Histochem Cell Biol* 114 (2000) 79-92. DOI 10.1007/s004180000179.
73. K. König, M. Teschke, B. Sigusch, E. Glockmann, S. Eick, W. Pfister. Red light kills bacteria via photodynamic action. *Cell. mol. Biol.* 46 (2000) 1297-1303.

2001

74. U.K. Tirlapur, K. König, C. Peuckert, R. Krieg, K.J. Halbhüner. Femtosecond near-infrared laser pulses elicit generation of reactive oxygen species in mammalian cells leading to apoptosis-like death. *Experimental Cell Research.* 263 (2001) 88-97. DOI:10.1006/excr.2000.5082.

75. U.K. Tirlapur, K. König: Femtosecond near infrared laser pulses induce DNA strand breaks in mammalian cells. *Cell. mol. Biol.* 47 (2001) OL131-OL134, DOI 10.1170/18.
76. K. König, I. Riemann, W. Fritzsche: Nanodissection of human chromosomes with near infrared femtosecond laser pulses. *Optics Letters.* 26 (2001) 819-821.
77. U. Tirlapur, K. König: Femtosecond near infrared lasers as a novel tool for non-invasive real time high resolution time-lapse imaging of chloroplast division in living bundle sheath cells of Arabidopsis. *Planta.* 214 (2001) 1-10.

2002

78. K. König, I. Riemann. Intrazelluläre Nanochirurgie. *BIOforum* 3 (2001) 124-125.
79. U.K.Tirlapur, K. König: Femtosecond near-infrared laser pulses as a versatile non-invasive tool for intratissue nanoprocessing in plants without compromising viability. *The Plant Journal.* 31 (2002) 365-374.
80. K. König, O. Krauss, I. Riemann. Intratissue surgery with 80 MHz nanojoule femtosecond laser pulses in the near infrared. *Optics Express.* 10 (2002) 171-176.
81. U. Tirlapur, K. König. Targeted transfection of cells by femtosecond near-infrared laser pulses. *Nature* 418 (2002) 290-291.
82. K.J.Halbhuber, K. König. Moderne Laser-Scanning-Mikroskopie in Biologie, Biotechnologie und Medizin. *Ärztebl. Thüring.* 13 (6) (2002) 338-343.

2003

83. C.Y. Dong, K. König, P.T.C. So. Characterizing point-spread-functions of two-photon fluorescence microscopy in turbid medium. *Journal Biomedical Optics* 8 (3) (2003) 450-459.
84. K.J. Halbhuber, K. König. Modern Laser Scanning Microscopy in Biology, Biotechnology and Medicine. *Annals of Anatomy* 185 (2003) 1-20.
85. K. König, I. Riemann. High-resolution multiphoton tomography of human skin with subcellular spatial resolution and picosecond time resolution. *Journal Biomedical Optics* 8 (3) (2003) 432-439.
86. D. Volkmann, T. Mori, U.K. Tirlapur, K. König, T. Fujiwara, J. Kendrick-Jones, F. Baluska. Unconventional myosins of the plant-specific class VIII: endocytosis, cytokinesis, plasmodesmata/pit-fields, and cell-to-cell coupling. *Cell Biology Intern* 27(2003) 289-291.
87. K. Schenke-Layland, O. Vasilevski, F. Opitz, K. König, I. Riemann, K.J. Halbhuber, T. Wahlers, U.A. Stock. Impact of decellularization on xenogenic tissue on extracellular matrix integrity for tissue engineering of heart valves. *J Struc Biol* 142 (2003) 201-208.

2004

88. V. Ulrich, P. Fischer, I. Riemann, K. König. Compact multiphoton/single photon laser scanning microscope für spectral imaging and fluorescence lifetime imaging. *Scanning* 26 (2004) 217-225.
89. W. Becker, A. Bergmann, M.A. Hink, K. König, K. Benndorf, C. Biskup. Fluorescence lifetime imaging by time-correlated single-photon counting. *Microscopy Research and Technique* 63 (2004) 58-66.
90. K. Schenke-Layland, I. Riemann, F. Opitz, K. König, K.J. Halbhuber, U. A. Stock. Comparative Study of Cellular and Extracellular Matrix Composition of Native and Tissue Engineered Heart Valves. *Matrix Biology* 23 (2004) 113-225.
91. T. Richter, C. Peuckert, M. Sattler, K. König, I. Riemann, U. Hintze, K.P. Wittern, R. Wiesendanger, R. Wepf. Dead but highly dynamic – the stratum corneum is divided into three hydration zones. *Skin Pharmacol Physiol.* 17 (2004) 246-257. DOI:10.1159/000080218
92. K.J. Halbhuber, R. Krieg, P. Fischer, K. König, H. Nasse, W. Dietz. Jenfluor AP – A novel fluorogenic substrate for in situ detection of alkaline phosphatase activity. *Cell. Mmol. Biol.* 48 (2002) Appendix

2005

93. K. König, K. Schenke-Layland, I. Riemann, U.A. Stock. Multiphoton autofluorescence imaging of intratissue elastic fibers. *Biomaterials* 26 (2005) 495-500. DOI:10.1016/j.biomaterials.2004.02.059
94. K. Schenke-Layland, Iris Riemann, Ulrich A. Stock, Karsten König. Imaging of cardiovascular structures using near-infrared femtosecond multiphoton laser scanning microscopy. *Journal of Biomedical Optics.* 10 (2005) 240171-240175 + Cover page.
95. K. König, I. Riemann, F. Stracke, R. Le Harzic. Nanoprocessing with nanojoule near infrared femtosecond laser pulses. *Med. Laser Appl.* 20 (2005) 169-184.
96. F. Garwe, A. Czaki, G. Maubach, A. Steinbrück, A. Weise, K. König, W. Fritzsche. Laser pulse energy conversion on sequence-specifically bound metal nanoparticles and its application for DNA manipulation. *Med. Laser Appl.* 20 (2005) 201-206.
97. R. LeHarzic, R. Bückle, C. Wüllner, C. Donitzky, K. König. Laser safety aspects for refractive eye surgery with femtosecond laser pulses. *Med. Laser Appl.* 20 (2005) 233-238.

98. R. LeHarzic, D. Breitling, S. Sommer, C. Föhl, K. König, F. Dausinger, E. Audouard. Processing of metals by double pulses with short laser pulses. *Appl. Phys. A.* 81(6) (2005) 1121-1125. DOI 10.1007/s00339-005-3307-0.
99. F. Stracke, I. Riemann, K. König. Optical nanoinjection of macromolecules into vital cells. *Journal Photochem Photobiol.* 81 (2005) 136-142.
100. R. Le Harzic, H. Schuck, D. Sauer, T. Anhut, I. Riemann, T. Velten, K. König. Sub-100nm nanostructuring of silicon by ultrashort laser pulses. *Optics Express* 13 (2005) 6651-6656.

2006

101. K. König, A. Ehlers, F. Stracke, I. Riemann. In vivo drug screening in human skin using femtosecond laser multiphoton microscopy. *Skin Pharmacol. Physiol.* 19(2) (2006) 78-88. DOI: 10.1159/000091974
102. F. Stracke, B. Weiss, C.M. Lehr, K. König, U.F. Schäfer, M. Schneider. Multiphoton microscopy for the investigation of dermal penetration of nanoparticle-borne drugs. *J Invest Dermatol* 126 (2006) 2224-2233. DOI: 10.1038/sj.jid.5700374
103. M.J. Köhler, K. König, P. Elsner, R. Bückle, M. Kaatz. In vivo assessment of human skin aging by multiphoton laser scanning tomography. *Optics Letters* 31(19) (2006) 2879-81.
104. K. König, MT. Wyss-Desserich, Y. Tadir, U. Haller, B. Tromberg, MW. Berns, P. Wyss. Modifications of protoporphyrin IX fluorescence during ALA-based photodynamic therapy of endometriosis. *Medical Laser Application. Medical Laser Application* 21(4) (2006) 291-297.
105. W. Becker, A. Bergmann, E. Haustein, Z. Petrasek, P. Schwille, C. Biskup, L. Kelbauskas, K. Benndorf, N. Klöckner, T. Anhut, I. Riemann, K. König. Fluorescence lifetime images and correlation spectra obtained by multidimensional time-correlated single photon counting. *Microscopy Research and Technique* 689(3) (2006) 186-195.
106. J. Luengo, B. Weiss, M. Schneider, A. Ehlers, F. Stracke, K. König, K.H. Kostka, C.M. Lehr, U.F. Schäfer. Influence of nanoencapsulation on human skin transport of flufenamic acid. *Skin Pharmacol Physiol.* 19(4) (2006)190-197.
107. K. Schenke-Layland, N. Madershahian, I. Riemann, B. Starcher, K.J. Halhuber, K. König, UA. Stock. Impact of cryopreservation on extracellular matrix structures of heart valve leaflets. *The Annals of Thoracic Surgery.* 81(3) (2006) 918-926.
108. K. Schenke-Layland, I. Riemann, O. Damour, U. A. Stock, K. König. Two-photon microscopes and in vivo multiphoton tomographs – novel diagnostic tools for tissue engineering and drug delivery. *Advanced Drug Delivery Reviews: Multiphoton Imaging: Diseases and Therapies* 58(7) (2006) 878-896. DOI: 10.1016/j.addr.2006.07.004.
109. Wang, K. König, I. Riemann, R. Krieg, K.J. Halhuber. Intraocular multiphoton microscopy with subcellular spatial resolution by femtosecond lasers. *Histochem. Cell. Biol.* 126(4) (2006) 507-515. DOI: 10.1007/s00418-006-0187-0.

2007

110. A. Ehlers, I. Riemann, M. Stark, K. König. Multiphoton fluorescence lifetime imaging of human hair. *Microscopy Research and Technique.* 70 (2007) 154-161.
111. A. Ehlers, I. Riemann, S. Martin, R. LeHarzic, A. Bartels, C. Janke, K. König. High (1GHz) repetition rate compact femtosecond laser: a powerful multiphoton tool for nanomedicine and nanobiotechnology. *J Applied Physics* 102 (2007) 014701.
112. A. Czaki, F. Garwe, A. Steinbrück, G. Maubach, G. Festag, A. Weise, I. Riemann, K. König, W. Fritzsche. A parallel approach for sub-wavelength molecular surgery using gene-specific positioned metal nanoparticles as laser light antennas. *Nanoletters* 2 (2007) 247-253.
113. B.G. Wang, I. Riemann, H. Schubert, D. Schweitzer, K. König K.J. Halhuber. Multiphoton microscopy for monitoring intratissue femtosecond laser surgery effects. *Lasers Surgery Medicine* 39 (2007) 527-533.
114. B.G. Wang, I. Riemann, H. Schubert, K.J. Halhuber, K. König. In vivo intratissue ablation by nanojoule near infrared femtosecond laser pulses. *Cell Tissue Res* 328 (2007) 515-520. DOI:10.1007/s0041-006-0367-1
115. K. König, A. Ehlers, I. Riemann, S. Schenkl, R. Bückle, M. Kaatz. Clinical two-photon microendoscopy. *Microscopy Research and Technique* 70 (5) (2007) 398-402.
116. R. Le Harzic, I. Riemann, K. König, C. Wüllner, C. Donitzky: Influence of femtosecond laser pulse irradiation on the viability of cells at 1035, 517, and 345 nm. *J. Appl. Phys.* 102(2007) / DOI 10.1063/1.2818107
117. M. Stark, B. Manz, A. Ehlers, M. Küppers, I. Riemann, F. Volke, U. Siebert, W. Weschke, K. König. Multiparametric high-resolution imaging of barley embryos by multiphoton microscopy and magnetic resonance micro-imaging. *Microscopy Research and Technique.* 70 (2007) 426-432.
118. S. Schenkl, E.C. Weiss, F. Stracke, D. Sauer, M. Stark, I. Riemann, R.M. Lemor, K. König. In vivo observation of cells with a combined high-resolution multiphoton-acoustic scanning microscope. *Microscopy Research and Technique* 70 (2007) 476-480.

2008

119. A. Uchugonova and K. König. Two-photon autofluorescence and second-harmonic imaging of adult stem cells. *J. Biomed. Opt.* 13 (5) (2008) 054068.
120. A. Uchugonova, K. König, R. Bueckle, A. Isemann, and G. Tempea. Targeted transfection of stem cells with sub-20 femtosecond laser pulses. *Opt. Express* 16 (13) (2008) 9357-9364.
121. A. Uchugonova, A. Isemann, E. Gorjup, G. Tempea, R. Bueckle, W. Watanabe, K. König. Optical knock out of stem cells extremely ultrashort femtosecond laser pulses. *J. Biophotonics* 1 (6) (2008) 463-469.
122. B.G. Wang, C.P. Lohmann, I. Riemann, H. Schubert, K.J. Halhuber, K. König. Multiphoton-mediated corneal flap generation by 80 MHz nanojoule femtosecond near infrared laser pulses. *J. Refract. Surg.* 24(8) (2008) 833-839.
123. F. Garwe, U. Bauerschäfer, A. Czaki, A. Steinbrück, K. Ritter, A. Bochmann, A. Weise, D. Akimov, G. Maubach, K. König, G. Hüttmann, W. Pass, J. Popp, W. Fritzsche. Optically controlled thermal management on the nanometer length scale. *Nanotechnology* 19 (2008) 055207. DOI: 10.1088/0957-4484/19/05/055207
124. K. König. Clinical Multiphoton Tomography. *J. Biophoton.* 1 (2008) 13-23. DOI:10.1002/jbo.200710022
125. B. Hoffmann, T. Zimmer, N. Klöcker, L. Kelbauskas, K. König, K. Benndorf, C. Biskup. Prolonged irradiation of enhanced cyan fluorescent protein or Cerulean can invalidate Förster resonance energy transfer measurements. *J. Biomed. Opt.* 13(2008) / DOI 10.1117/1.2937829
126. R. LeHarzic, M. Weinigel, I. Riemann, K. König, B. Messerschmidt. Nonlinear optical endoscope based on a compact two axes piezo scanner and a miniature objective lens. *Optics Express* 16(25) (2008) 20588-20596.
127. R. Le Harzic, M. Stark, H. Schuck, P. Becker, . Lai, D. Bruneel, F. Bauerfeld, D. Sauer, T. Velten, K. König. Nanostructuring with nanojoule femtosecond laser pulses. *Journal of laser micro/nanoengineering: JLMN.* 3(2008)106-113.
128. M. Hild, M. Krause, I. Riemann, P. Mestres, S. Toropygin, U. Low, K. Bruckner, B. Seitz, C. Jonescu-Cuypers, and K. König. Femtosecond laser-assisted retinal imaging and ablation: experimental pilot study. *Curr Eye Res* 33(2008)351-363 / DOI 10.1080/02713680801956452
129. M. J. Koehler, S. Hahn, A. Preller, P. Elsner, M. Ziemer, A. Bauer, K. König, R. Buckle, J. W. Fluhr, and M. Kaatz. Morphological skin ageing criteria by multiphoton laser scanning tomography: non-invasive in vivo scoring of the dermal fibre network. *Exp Dermatol* 17(6) (2008) 519-523.
130. S. Toropygin, M. Krause, I. Riemann, B. Seitz, P. Mestres, K. W. Ruprecht, and K. König. In vitro femtosecond laser-assisted nanosurgery of porcine posterior capsule. *J. Cataract Refract. Surg.* 34 (12) (2008) 2128-2132.
131. S. Toropygin, M. Krause, I. Riemann, M. Hild, P. Mestres, B. Seitz, E. Khurieva, K. W. Ruprecht, U. Low, Z. Gatziofias, and K. König. In vitro noncontact intravascular femtosecond laser surgery in models of branch retinal vein occlusion. *Curr. Eye Res.* 33 (3) (2008) 277-283.
132. S. Toropygin, M. Krause, I. Riemann, K. Hille, K.W. Ruprecht, K.P. Mestres, K. König. Femtosecond laser scanning microscopy and ablation of the retinal limiting membrane: an experimental pilot study. *Vestnik Oftalmologii* 125(2009)21-28, in Russian.
133. K. König, M. Weinigel, D. Hoppert, R. Bueckle, H. Schubert, M.J. Köhler, M. Kaatz, P. Elsner. Multiphoton tissue imaging using high-NA microendoscopes and flexible scan heads for clinical studies and small animal research. *J. Biophoton.* 1(2008)506-513.

2009

134. E. Dimitrow, I. Riemann, A. Ehlers, M.J. Koehler, J. Norgauer, P. Elsner, K. König, M. Kaatz. Spectral fluorescence lifetime detection and selective melanin imaging by multiphoton laser tomography for melanoma diagnosis. *Exp. Dermatol.* 18(2009)509-515. DOI 10.1111/j.1600-0625.2008.00815.x
135. Z. Földes-Papp, K. König, H. Studier, R. Bueckle, H.G. Breunig, A. Uchugonova, G.M. Kostner. Trafficking of mature miRNA-122 into the nucleus of live liver cells. *Current Pharmaceutical Biotechnology* 10(2009)569-578 / DOI 10.2174/138920109789069332
136. K. König, M. Speicher, R. Bueckle, J. Reckfort, G. McKenzie, J. Welzel, M. J. Koehler, P. Elsner, M. Kaatz. Clinical optical coherence tomography combined with multiphoton tomography of patients with skin diseases. *Journal of Biophotonics* 2(2009)389-397 / DOI 10.1002/jbio.200910013
137. M. J. Köhler, A. Preller, P. Elsner, N. Kindler, K. König, Karsten, R. Bueckle, M. Kaatz. Intrinsic, solar and sunbed-induced skin aging measured in vivo by multiphoton laser tomography and biophysical methods. *Skin Research and Technology* 15(2009)357-363 / DOI 10.1111/j.1600-0846.2009.00372.x
138. E. Dimitrow, M. Ziemer, M.J. Koehler, J. Norgauer, K. König, P. Elsner, M. Kaatz. Sensitivity and specificity of multiphoton laser tomography for in vivo and ex vivo diagnosis of malignant melanoma. *Journal of Investigative Dermatology* 129(2009)1752-1758 / DOI 10.1038/jid.2008.439
139. R. Le Harzic, I. Riemann, M. Weinigel, K. König, B. Messerschmidt: Rigid and high-numerical-aperture two-photon fluorescence endoscope. *Applied Optics* 48(2009)3396-3400 / DOI 10.1364/AO.48.003396
140. R. Le Harzic, K. König, C. Wüllner, K. Vogler, C. Donitzky. Ultraviolet femtosecond laser creation of corneal flap. *Journal of Refractive Surgery* 25(2009)

2010

141. B.-G. Wang, K. König, K.-J. Halbhauer: Two-photon microscopy of deep intravital tissues and its merits in clinical research. *Journal of Microscopy* 238(2010)1-20 / DOI 10.1111/j.1365-2818.2009.03330.x
142. M. Kaatz, A. Sturm, P. Elsner, K. König, R. Bückle, M.J. Koehler. Depth-resolved measurement of the dermal matrix composition by multiphoton laser tomography. *Skin Research and Technology* 16 (2010) 131-136 / DOI 10.1111/j.1600-0846.2009.00423.x
143. M. Kaatz, K. König. Multiphotonenmikroskopie und In-vivo-Multiphotonen-tomographie in der dermatologischen Bildgebung. *Der Hautarzt* 61 (2010) 397-409 / DOI 10.1007/s00105-009-1880-4
144. H. G. Breunig, H. Studier, K. König. Multiphoton excitation characteristics of cellular fluorophores of human skin in vivo. *Optics Express* 18 (2010) 7857-7871 / DOI 10.1364/OE.18.007857
145. R. Bazin, F. Flament, A. Colonna, R. Le Harzic, R. Bückle, B. Piot, F. Laizé, M. Kaatz, K. König, J. W. Fluhr. Clinical study on the effects of a cosmetic product on dermal extracellular matrix components using a high-resolution multiphoton tomograph. *Skin Research and Technology* 16 (2010) 305-310 / DOI 10.1111/j.1600-0846.2010.00432.x
146. M.J. Koehler, T. Vogel, P. Elsner, K. König, R. Bückle, M. Kaatz. In vivo measurement of the human epidermal thickness in different localizations by multiphoton laser tomography. *Skin Research and Technology* 16 (2010) 259-264 / DOI 10.1111/j.1600-0846.2010.00437.x
147. K. König, M. Speicher, M.J. Köhler, R. Scharenberg, M. Kaatz. Clinical application of multiphoton tomography in combination with high-frequency ultrasound for evaluation of skin diseases. *J. Biophotonics* 3 (2010) 759-773 / DOI 10.1002/jbio.201000074
148. D. Bruneel, G. Matras, R. Le Harzic, N. Huot, K. König, E. Audouard. Micromachining of metals with ultra-short Ti-Sapphire lasers: Prediction and optimization of the processing time. *Optics and Lasers in Engineering* 48 (2010) 268-271 / DOI 10.1016/j.optlaseng.2009.10.010
149. D. Bruneel, E. Audouard, K. König, R. Le Harzic. Flexible tool for two-photon laser nanoprocessing and large area mapping with high resolution. *Optics and Lasers in Engineering* 48 (2010) 1278-1284 / DOI: 10.1016/j.optlaseng.2010.06.003
150. M. Kirillin, K. König, N. Shakhova, B. Tromberg, A. Semyanov. Optical bioimaging and neuroimaging: from whole-body inspection to brain sensing. *Journal of Biophotonics* 3 (2010) 741-742 / DOI 10.1002/jbio.201000523
151. O. Fritze, M. Schleicher, K. König, K. Schenke-Layland, U. Stock, C. Harasztsosi. Facilitated noninvasive visualization of collagen and elastin in blood vessels. *Tissue Eng. Part C Methods* 16(2010)705-710 doi: 10.1089/ten

2011

152. K. König, H.G. Breunig, R. Bückle, M. Kellner-Höfer, M. Weinigel, E. Büttner, W. Sterry, J. Lademann. Optical skin biopsies by clinical CARS and multiphoton fluorescence/SHG tomography. *Laser Physics Letters* 8 (2011) 1-4 / DOI: 10.1002/lapl.201110014
153. H. Studier, H.G. Breunig, K. König. Comparison of broadband and ultrabroadband pulses at MHz and GHz pulse-repetition rates for nonlinear fs-laser scanning microscopy. *Journal of Biophotonics* 4 (2011) 84-91. DOI 10.1002/jbio.201000010
154. M. S. Roberts, Y. Dancik, T. W. Prow, C. A. Thorling, L. L. Lin, J. E. Grice, T. A. Robertson, K. König, W. Becker. Non-invasive imaging of skin physiology and percutaneous penetration using fluorescence spectral and lifetime imaging with multiphoton and confocal microscopy. *European Journal of Pharmaceutics and Biopharmaceutics* 77 (2011) 469-488 / DOI: 10.1016/j.ejpb.2010.12.023.
155. M. Straub, M. Afshar, D. Feili, H. Seidel, K. König. Efficient nanostructure formation on silicon surfaces and in indium tin oxide thin films by sub-15 fs near-infrared laser light. *Physics Procedia*. 12(2011)16-23.
156. J. Koehler, S. Zimmerman, S. Springer, P. Elsner, K. König, M. Kaatz. Keratinocyte morphology of human skin evaluated by in vivo multiphoton laser tomography. *Skin Research and Technology* 17(2011)479-486 / DOI: 10.1111/j.1600-0846.2011.00522.x
157. J. Köhler, K. König, M. Speicher, S. Astner, E. Stockfleth, P. Elsner, M. Kaatz. Clinical application of multiphoton tomography in combination with confocal laser scanning microscopy for evaluation of skin diseases. *Skin Research and Technology*. 20(2011)589-594.
158. F. Liu, A. Uchugonova, H. Kimura, C. Zhang, M. Zhao, L. Zhang, K. König, J. Duong, R. Aki, N. Saito, S. Mii, Y. Amoh, K. Katsuoka, R. M. Hoffman. The bulge area is the major hair follicle source of nestin-expressing pluripotent stem cells which can repair the spinal cord compared to the dermal papilla. *Cell Cycle* 5 (2011), 830-839
159. A. Uchugonova, J. Duong, N. Zhang, K. König, R.M. Hoffman. The bulge area is the origin of nestin-expressing pluripotent stem cells of the hair follicle. *J. Cell Biochem*. 112(2011)2046-2050. DOI 10.1002/jcb.23122
160. A. Uchugonova, R. M. Hoffman, M. Weinigel, K. Koenig. Watching stem cells in the skin of living mice non-invasively. *Cell Cycle* 10(2011)2017-2020.
161. K. König, A. Uchugonova, E. Gorjup: Multiphoton fluorescence lifetime imaging of 3D-stem cell spheroids during differentiation. *Microsc. Res. Techn.* 74 (2011) 9-17 / DOI 10.1002/jemt.20866

162. K. König, A.P. Raphael, L. Lin, J.E. Grice, H.P. Soyer, H.G. Breunig, M.S. Roberts, T.W. Prow. Applications of multiphoton tomographs and femtosecond laser nanoprocessing microscopes in drug delivery research. *Advanced Drug Delivery Research*. 63(2011)388-404.
163. E. Benati, Bellini V, Borsari S, Dunsby C, Ferrari C, French P, Guanti M, Guardoli D, Koenig K, Pellacani G, Ponti G, Schianchi S, Talbot C, Seidenari S. Quantitative evaluation of healthy epidermis by means of multiphoton microscopy and fluorescence lifetime imaging microscopy. *Skin Res. Technol*. 2011 Apr 25. doi: 10.1111/j.1600-0846.2011.00496.x.
164. S.G. Toropygin, M. Krause, A. Akkaya, I. Riemann, B. Seitz, P. mestres, KW. Ruprecht, L. Trober, Z. Gatzoufas, K. König. Experimental femtosecond laser-assisted nanosurgery of anterior lens capsule. *Eur. J. Ophthalmol*. 3(2011)237-242.
165. C.B. Talbot, R. Patalay, I. Munro, S. Warren, F. Ratto, P. Matteini, R. Pini, HG. Breunig, K. König, AC. Chu, GW. Stamp, MAA. Neil, PM. French, C. Dunsby. Application of ultrafast gold luminescence to measuring the instrument response function for multispectral multiphoton fluorescence lifetime imaging. *Optics Express* 19(2011)13848-13861.
166. R. Patalay, C. Talbot, Y. Alexandrov, I. Munro, MAA. Neil, K. König, PMW. French, A. Chu, GW. Stamp, C. Dunsby. Quantification of cellular autofluorescence of human skin using multiphoton tomography and fluorescence lifetime imaging in two spectral detection channels. *Biomed Optics Express* 2(12)(2011)3295. Published online Nov 10, 2011.
167. W. Werncke, I. Latka, S. Sassning, B. Dietzek, M.E. Darvin, J. Popp, K. König, J.W. Fluhr, J. Lademann. Two-color Raman spectroscopy for the simultaneous detection of chemotherapeutics and antioxidative status of human skin. *Laser Physics Letters* 8(2011)895-900.

2012

168. H. Zhang, M. Afshar, K. König, D. Feili, H. Seidel; Submicron dot-chains at and beneath surfaces of glasses written by picosecond laser scanning microscope; *Appl. Phys. A*; 107(2012)339-343.
169. M. Straub, M. Afshar, D. Feili, H. Seidel, K. König. Periodic nanostructures on Si(1100) surfaces generated by high-repetition rate sub-15 fs pulsed near-infrared laser light. *Optics Letters* 37(2012) 190-192.
170. M. Afshar, M. Straub, H. Völm, D. Feili, K. König, H. Seidel; Sub-100 nanometer structuring of indium-tin-oxide thin films by sub-15 femtosecond pulsed near-infrared laser light; *Optics Letters* 37(2012)563-565.
171. K. König, A. Uchugonova, M. Straub, H. Zhang, M. Licht, M. Afshar, D. Feili, H. Seidel. Sub-100nm material processing and imaging with a sub-15 femtosecond laser scanning microscope. *Journal of Laser Application*. July 2012, 042009-1-042009-9.
172. A. Uchugonova, M. Zhao, Y. Zhang, M. Weinigel, K. König, R. Hoffman. Cancer-cell killing by engineered Salmonella Imaged by multiphoton tomography in live mice. *Anticancer Research* 32(2013)4331-4338.
173. S. Seidenari, F. Arginelli, S. Bassoli, J. Cautela, P.M.W. French, M. Guanti, D. Guardoli, K. König, C. Talbot, C. Dunsby. Multiphoton Laser Microscopy and Fluorescence Lifetime Imaging for the Evaluation of the Skin. *Dermatol. Res. Pract.* Vol 2012, 810749, doi:10.1155/2012/810749.
174. H.G. Breunig, R. Bückle, M. Kellner-Höfer, M. Weinigel, J. Lademann, W. Sterry, K. König. Combined In Vivo Multiphoton and CARS Imaging of Healthy and Disease-Affected Human Skin. *Microsc. Res. Tech.* 75(2012)492-498.
175. M. Licht, A. Uchugonova, K. König, M. Straub. Sub-15 fs multiphoton lithography of three-dimensional structures for live cell applications. *J. Opt.* 14(2012)065601-07.
176. A. Uchugonova, M. Lessel, S. Nietzsche, C. Zeitz, K. Jacobs, C. Lemke, K. König. Nanosurgery of cells and chromosomes using near infrared twelve femtosecond laser pulses. *J. Biomed. Optics* 17(2012)101502.
177. M.E. Darvin, K. König, M. Kellner-Höfer, H.G. Breunig, W. Werncke, M.C. Meinke, A. Patzelt, W. Sterry, J. Lademann. Safety Assessment by Multiphoton Fluorescence/ Second Harmonic Generation/Hyper-Rayleigh Scattering Tomography of ZnO Nanoparticles Used in Cosmetic Products. *Skin Pharmacol. Physiol.* 25(2101)219-226.
178. M. Straub, M. Afshar, H. Seidel, K. König. Surface plasmon polariton model of high-spatial frequency laser-induced periodic surface structure generation in silicon. *Journal of Applied Optics* 111(2012)124315-1 -6.
179. C. Huss, M. Krause, U. Löw, I. Riemann, F. Stracke, P. Mestres, B. Seitz, K. König. Experimental corneal imaging and corneal surgery with non-amplified femtosecond laser pulses. *Der Ophthalmologe* 2012/10: 995.
180. M.J. Koehler, A. Preller, P. Elsner, K. König, UC. Hipler, M. Kaatz. Non-invasive evaluation of dermal elastosis by in vivo multiphoton tomography with autofluorescence lifetime measurements. *Exp. Dermatol.* 2012 Jan;21(1):48-51.
181. R. Patalay, C. Talbot, Y. Alexandrov, MO. Lenz, S. Kumar, S. Warren, I. Munro, MAA Neil, K. König, PMW. French, A. Chu, GW. Stamp, C. Dunsby. Multispectral fluorescence lifetime imaging using multiphoton tomography for the evaluation of basal cell carcinomas. *PLoS ONE* 7(9): e43460. doi:10.1371/journal.pone.0043460.
182. K. König. Hybrid Multiphoton Multimodal Tomography of In Vivo Human Skin. *Intravital* 1(2012)8.

183. S. Seidenari, F. Arginelli, C. Dunsby, P.M.W. French, K. König, C. Magnoni, M. Manfredini, C. Talbot, G. Ponti. Multiphoton laser tomography and fluorescence lifetime imaging of basal cell carcinoma: morphological features for non-invasive diagnostics. *Experimental Dermatology* 21(2012)831-836.

2013

184. S. Seidenari¹, F. Arginelli¹, S. Bassoli¹, J. Cautela¹, A.M. Cesinaro², M. Guanti¹, D. Guardoli¹, C. Magnoni¹, M. Manfredini¹, K. König. Diagnosis of BCC by multiphoton laser tomography.

Skin Res. Technol. 19(2013)e297-2304, doi: 10.1111/j.1600-0846.2012.00643

185. H.G. Breunig, F. Tümer, K. König. Multiphoton imaging of freezing and heating effects in plant leaves.

J. Biophotonics, online: doi 10.1002/jbio.201200093.

186. M. Manfredini, F. Arginelli, C. Dunsby, P. French, C. Talbot, K. König, G. Ponti, G. Pellacani, S. Seidenari. High-resolution imaging of basal cell carcinoma: a comparison between multiphoton microscopy with fluorescence lifetime imaging and reflectance confocal microscopy.

Skin Res. Technol. 19(2013)e433-43. Online doi: 10.1111/j.1600-0846.2012.00661

187. A. Alex, J. Weingast, M. Weinigel, M. Höfer, R. Nemecek, M. Binder, H. Pehamberger, K. König, W. Drexler. Three-dimensional multiphoton/optical coherence tomography for diagnostic applications in dermatology.

J Biophotonics. Published online DOI: 10.1002/jbio.201200085.

188. H.G. Breunig, M. Weinigel, R. Bückle, M. Kellner-Höfer, J. Lademann, M.E. Darwin, W. Sterry, K. König. Clinical coherent anti-stokes Raman scattering and multiphoton tomography of human skin with femtosecond laser and photonic crystal fiber. *Laser Physics Letters*. 10(2013)025604.

189. F. Arginelli, M. Manfredini, S. Bassoli, C. Dunsby, P. French, K. König, C. Magnoni, G. Ponti, C. Talbot, S. Seidenari. High resolution diagnosis of common nevi by Multiphoton Laser Tomography and Fluorescence Lifetime Imaging. *Skin Res. Technol.* 19(2013)194-204.

190. M. Balu, A. Mazhar, C.K. Hayakawa, R. Mittal, T.B. Krasieva, K. König, V. Venugopalan, B. J. Tromberg. In Vivo Multiphoton NADH Fluorescence Reveals Depth-Dependent Keratinocyte Metabolism in Human Skin. *Biophys. J.* 104(2013)258-267.

191. M. Ulrich, M.E. Darwin, K. König, J. Lademann, M.C. Meinke. Comparison of in vivo reflectance confocal microscopy and multiphoton microscopy to detect basal cell carcinoma.

J. Biomed. Optics 18(2013)61229, doi:10.1117/1.JBO.18.6.061229.

192. A. Uchugonova, K. König, R. Hoffmann. Multiphoton tomography visualizes collagen fibers in the tumor microenvironment that maintain cancer cell anchorage and shape.

J. Cellular Biochemistry. Published online 6.8.2012, printed 114(2013)99-102.

193. K. König, A. Ostendorf. Optically generated sub-100nm structures for biomedical and technical applications. *Physics Procedia* 41(2013)1-3.

194. M. Straub, B. Weigand, M. Afzahr, D. Feili, H. Seidel, K. König. Periodic subwavelength ripples and random nanocone patterns on lithium niobate surfaces generated by tightly focused sub-15fs sub-nanojoule pulsed near-infrared laser light. *Journal of Optics*. 15(2013)055601.

195. S. Seidenari, Schianchi S, Azzoni P, Benassi L, Borsari S, Cautela J, Ferrari C, French P, Giudice S, Koenig K, Magnoni C, Talbot C, Dunsby C. High-resolution multiphoton tomography and fluorescence lifetime imaging of UVB-induced cellular damage on cultured fibroblasts producing fibres.

Skin Research and Technology 19(2103)251–257.

196. A. Uchugonova, R.M. Hoffman, K. König. Stem cell imaging in living animals.

G.I.T. Imaging&Microscopy 3(2103)44-46.

197. CH Dong, PTC So, J. Mertz, K. König, C. Xu, P. Campagnola. Multiphoton Microscopy: Technical innovations, biological applications, and clinical diagnostics. *J Biomed. Opt.* 18(2013)3.

198. S. Seidenari, F. Arginelli, C. Dunsby, PMW French, K. König, C. Magnoni, C. Talbot, G. Ponti. Multiphoton laser tomography and fluorescence lifetime imaging of melanoma: Morphologic features and quantitative data for sensitive and specific non-invasive diagnostics. *Plos One* 8 (2013) e70682.

2014

199. K. König, A. Uchugonova, HG Breunig. High-resolution multiphoton cryomicroscopy. *Methods* 2014 Mar 15;66(2):230-6. doi: 10.1016/j.ymeth.2013.07.006. Epub 2013 Jul 16.)

200. M. Weinigel, H.G. Breunig, J. Lademann, K. König. In vivo histology: optical biopsies with chemical contrast using multiphoton/CARS tomography. *Laser Phys Lett*, 11(2014)055601.

201. M. Straub, M. Schüle, M. Afshar, D. Feili, H. Seidel, K. König. Sub-15fs laser-induced nanostructures emerging in Si(100) surfaces immersed in water: analysis of structural phases. *Appl. Phys. A* 115(2014)221-228.

202. M. Schüle, M. Afshar, D. Feili, H. Seidel, K. König, M. Straub. Incubation and nanostructure formation on n- and p-type Si(100) and Si(111) at various doping levels induced by sub-nanojoule femto- and picosecond near-infrared laser pulses- *Applied Surface Science* 314(2014)21-29.

203. M. Balu, K.M. Kelly, C.B. Zachary, R.M. Harris, T.B. Krasieva, K. König, A.J. Durkin, B.J. Tromberg. Distinguishing between benign and malignant melanocytic nevi by in vivo multiphoton microscopy.

Cancer Res 74 (2014) 2688-2697, doi:10.1158/0008-5472.

204. K. König. Optical biopsies with femtosecond lasers. *The New Economy*. Summer Edition 2014, 44-45.
205. H.G.Breunig, A. Uchugonova, A. Batista, K. König. High-throughput continuous flow femtosecond laser-assisted cell optoporation and transfection. *Mic Res Tech* 77 (2014) 12, 974-979. DOI. 10.1002/jemt.22423.
206. ME Darvin, H. Richter, YJ Zhu, MC Meinke, F. Knorr, SA Gonchukov, K. König, J. Lademann. Comparison of in vivo and ex vivo laser scanning microscopy and multiphoton tomography application for human and porcine skin imaging. *Quantum Electronics* 44(2014)7, 646-651.
207. K. König. Multiphotonen-Tomographie der humanen Kornea. *Ophthalmologische Nachrichten* Sept. 2014
208. K. König. Big Advances in a small world. *The New Economy* (2014) Autumn Edition.

2015

209. HG. Breunig, M. Weinigel, K. König. In vivo imaging of ZnO Nanoparticles from sunscreen on human skin with a mobile multiphoton tomograph. *BioNanoScience* 5(2014)42-47. DOI: 10.1007/s12668-014-0155-4.
210. K. König. Skin problems in outer space. *The New Economy*. Spring edition.
211. M. Balu, C.B. Zachary, R.M. Harris, T.B. Krasieva, K. König, B.J. Tromberg, K.M. Kelly. In vivo multiphoton microscopy of basal cell carcinoma. *JAMA Dermatol.* published online April 24, 2015, doi:10.1001/jamadermatol.2015.0453.
212. K. König, H.G. Breunig. Two-photon imaging of intact living plants during freezing with a flexible multiphoton tomograph. *Laser Phys. Lett.* 12 (2015) 025601.
213. K. König, T. Le, P. Anderson, G. Breunig. Multiphoton imaging with a novel compact diode-pumped Ti:sapphire oscillator. *Microsc Res Technol* 78(2015)1154-1158.
214. A. Uchugonova, HG. Breunig, A. Batista, K. König. Optical reprogramming of human somatic cells using ultrashort Bessel-shaped near-infrared femtosecond laser pulses. *J. Biomed. Opt.* 20(2015)11, 115008.
215. A. Uchugonova. Optical reprogramming of human cells in an ultrashort femtosecond laser microfluidic transfection platform. *J. Biophoton* 1-6(2015). DOI 10.1002/jbio.201500240.
216. M. Weinigel, HG. Breunig, A. Uchugonova, K. König. Multipurpose nonlinear optical imaging system for in vivo and ex vivo multimodal histology. *J Medical Imaging* 2(2015)0160031-016003110.
217. M. Afshar, EM. Preiss, T. Sauerwald, M. Rodner, D. Feili, M. Straub, K. König, A. Schütze, H. Seidel. Indium-tin-oxide single-nanowire gas sensor fabricated via laser writing and subsequent etching. *Sensors and Actuators B*215(2015)525-535.
218. HG. Breunig, A. Uchugonova, A. Batista, K. König. Software-aided automatic laser optoporation and transfection of cells. *Scientific Reports* 5(2015)11185. DOI 10.1038/srep11185.
219. M. Weinigel, HG. Breunig, ME. Darvin, M. Klemp, J. Röwert-Huber, J. Lademann, K. König. Impact of refractive index mismatches on coherent anti-Stokes Raman scattering and multiphoton autofluorescence tomography of human skin in vivo. *Physics in Medicine & Biology* 60(2015)6881-6899, Doi:10.1088/0031-9155/60/17/6881.
220. A. Ostendorf, K. König. Im Zeichen der Miniaturisierung. *Forschung* 2 (2015).
221. K. Reinhardt, H.G. Breunig, A. Uchugonova, K. König. Sperm metabolism is altered during storage by females: evidence from fluorescence lifetime measurements in bedbugs. *J. R. Soc. Interface* 12 (2015), doi:10.1098/rsif.2015.0609.
222. S. Springer, M. Zieger, K. König, M. Kaatz, J. Lademann, ME Darvin. Optimization of the measurement procedure during multiphoton tomography of human skin in vivo. *Skin Res Tech* 0(2015) 1-7, DOI: 10.1111/srt.12273.
223. K. König. Leading the way in innovation and research. *The New Economy* Spring Edition (2015).
224. A. Uchugonova, W. Cao, R.M. Hoffman, K. König. Comparison of label-free and GFP multiphoton imaging of hair-follicle-associated pluripotent (HAP) stem cells in mouse whiskers. *Cell Cycle* 14(2015) 3430-3433. doi: 10.1080/15384101.2015.1090064.
225. A. Uchugonova, Y. Zhang, R. Salz, F. Liu, A. Suetsugu, L. Zhang, K. König, RM Hoffman, M. Zhao. Imaging the different mechanisms of prostate cancer cell-killing by tumor-targeting *Salmonella typhimurium* A1-R. *AntiCancer Res.* 35 (2015) 5225-5230.

2016

226. M. Klemp, M. Meinke, M. Weinigel, HJ. Roewert-Huber, K. König, M. Ulrich, J. Lademann, M. Darvin. Comparison of morphologic criteria for actinic keratosis and squamous cell carcinoma using in vivo multiphoton tomography. *Exp Dermatol* 25 (2016) 218-222. doi: 10.1111/exd.12912.
227. A. Batista, HG. Breunig, A. Uchugonova, AM. Morgado, K. König. Two-photon spectral fluorescence lifetime and second harmonic generation imaging of the porcine eye with a 12 femtosecond laser microscope. *J. Biomed. Opt.* 21(3) (2016) 036002.
228. S. Kantelhardt, D. Kalasauskas, K. König, E. Kim, M. Weinigel, A. Uchugonova, A. Giese. In vivo multiphoton tomography and fluorescence lifetime imaging of human brain tumor tissue. *J Neurooncol* 127(3) (2016) 473-482, DOI 10.1007/s11060-016-2062-8.

229. V. Huck, C. Gorzelanny, K. Thomas, V. Getova, V. Niemeyer, K. Zens, TR. Unnerstall, JS. Feger, MA. Fallah, D. Metze, S. Ständer, TA. Luger, K. König, C. Mess, SW. Schneider. From morphology to biochemical state-intravital multiphoton fluorescence lifetime imaging of inflamed human skin. *Sci. Rep.* 6(2016)22789, doi: 10.1038/srep22789 (2016).
230. M. Afshar, M. Leber, W. Poppendieck, K. König, H. Seidel, D. Feili. On-chip nanostructuring and impedance trimming of transparent and flexible ITO electrodes by laser induced coherent sub-20 nm cuts. *Applied Surface Science* 360 (2016) 494-501.
231. HG Breunig, A. Batista, A. Uchugonova, K. König. Cell optoporation with a sub-15 fs and a 250-fs laser. *J. Biomed. Opt.* 21(6), 060501 (2016), doi: 10.1117/1.JBO.21.6.060501.
232. K. König, A. Kasenbacher. Thermal damage behaviour of human dental pulp stem cells. *ZWP Online* 4 (2016).

2017

233. K. Reinhardt, H.G. Breunig, K. König. Autofluorescence lifetime variation in the cuticle of the bedbug *Cimex lectularius*. *Arthropod Structure & Development* 46 (2017) 56-62.
234. M. Balu, G. Lentsch, D.Z. Korta, K. König, K.M. Kelly, B.J. Tromberg, C.B. Zachary. In vivo multiphoton-microscopy of picosecond-laser-induced optical breakdown in human skin. *Lasers in Surgery and Medicine* (2017). Doi:10.1002/lsm.22655.
235. K. König, Dr. Kasenbacher. Photodamage of dental pulp stem cells during 700 fs laser exposure. *International Magazine of Laser Dentistry* 9 (2017) 18-21.
236. K. König, A. Kasenbacher. Thermal damage behaviour of human dental pulp stem cells. *Roots* 2 (2017) 30-36.

2018

237. A. Batista, HG Breunig, A. König, A. Schindele, T. Hager, B. Seitz, AM Morgado, K. König. Assessment of human corneas prior to transplantation using high-resolution two-photon imaging. *Invest Ophthalmol Vis Sci.* 59 (2018) 176-184. Doi:10.1167/iovs.17-22002.
238. S. Springer, M. Zieger, UC Hippler, K. König, J. Lademann, M. Kaatz, MJ Köhler. Non-invasive evaluation of human mucosal structures by multiphoton laser scanning tomography in vitro. *Skin Res. Tech* 1-5 (2018). Doi: 10.1111/srt.12451.
239. A. Batista, HG Breunig, A. König, A. Schindele, T. Hager, B. Seitz, K. König. High-resolution, label-free two-photon imaging of diseased human corneas. *J Biomed. Opt.* 23 (3), 036002 (2018). Doi: 10.1117/1.JBO.23.3.036002.
240. A. Batista, HG Breunig, A. König, AM Morgado, K. König. Assessment of the metabolism Non-invasive evaluation of human mucosal structures by multiphoton laser scanning tomography in vitro and morphology of the porcine cornea, lens and retina by 2-photon imaging. *J. Biophotonics* (2018). Doi: 10.1002/jbio.201700324.
241. A. Schindele, HG Breunig, K. König. Multiphoton Tomography for in vivo skin age determination. *Optik & Photonik* 2 (2018), S. 56-59.
242. G. Lentsch, M. Balu, J. Williams, S. Lee, R.M. Harris, K. König, A. Ganesan, B.J. Tromberg, N. Nair, U. Santhaman, M. Misra. In vivo multiphoton microscopy of melasma. *Pigment Cell Melanoma Res.* 32 (2018) 403-411, doi: 10.1111/pcmr.12756.
243. G. Lentsch, M. Balu, K. König, B. Tromberg, C. Zachary, J. Smith. In vivo multiphoton microscopy of scabies. *JAAD Case Reports* 4 (2018)10, 985-987.

2019

244. A. Batista, HG. Breunig, T. Hager, B. Seitz, K. König. Early evaluation of corneal collagen crosslinking in ex-vivo human corneas using two-photon imaging. *Sci.Rep.* 9 (2019) 10241, doi.org./10.1038/s41598-019-46572-3.

2020

245. K. König. Review: Clinical in vivo multiphoton FLIM tomography. *Methods Appl. Fluoresc.* 8 (2020) 034002.
246. K. König, HG Breunig, A. Batista, A. Schindele, M. Zieger, M. Kaatz. Translation of two-photon microscopy to the clinic: multimodal multiphoton CARS tomography of in vivo human skin. *J. Biomed. Opt.* 25 (2020) 014515.
247. A. Periasamy, K. König, P. So. Special section guest editorial: Thirty years of multiphoton microscopy in the biomedical sciences. *J. Biomed Opt.* 25 (2020) 014501.
248. G. Lentsch, M Valdebran, I. Saknite, J. Smith, KG. Linden, K. König, RJ. Barr, RM. Harris, BJ. Tromberg, AK. Ganesan, CB Zachary, KM Kelly, M. Balu. Non-invasive optical biopsy by multiphoton microscopy identifies the live morphology of common melanocytic nevi. *Pigment Cell Melanoma Res.* 33 (2020) 869-877, doi:10.1111/pcmr.12902.
249. J. Serup et. al. Professor Ronald Mars of Cardiff, founder of Bioengineering and the skin. *Skin. Res. Tech.* 26 (2020) 451-454.

2. Proceedings

1991

1. K. König, H. Schneckenburger, A. Rück, S. Auchter. Photoproduct formation of endogeneous protoporphyrin and its photodynamic activity. SPIE-Proceedings vol. 1525 (1991) 412-419.

1993

2. K. König, R. Hibst, G. Flemming, H. Schneckenburger. Laser induced autofluorescence of caries. SPIE -Proceedings, vol. 1880 (1993) 125-131.

3. K. König, H. Schneckenburger, A. Rück, R. Steiner, H. Walt. Laser-induced autofluorescence of cells and tissue. SPIE-Proceedings, vol. 1887 (1993) 213-221.

4. K. König, R. Hibst, H. Meyer, G. Flemming, H. Schneckenburger. Laser-induced autofluorescence of carious regions of human teeth and caries-involved bacteria. SPIE-Proceedings, vol. 2080 (1993) 170-180.

5. K. König, A. Kienle, W-H. Boehncke, R. Kaufmann, A. Rück, T. Meier, R. Steiner. Photodynamic tumour therapy and on-line fluorescence spectroscopy after ALA administration using 633 nm-light as therapeutic and fluorescence excitation radiation. SPIE-Proceedings, vol. 2078 (1993) 438-446.

6. W. Strauss, W. Mohr, K. König, K. Miller, A. Rück, H. Schneckenburger, R. Steiner. Meso-tetra (4-carboxyphenyl) porphyrin –fluorescence behaviour, photodynamic treatment, and tissue distribution. SPIE-Proceedings, vol. 2078 (1993) 515-520.

7. E.D. Reich, R. Bachor, K. Miller, K. König, D. Repassy, R.E. Hautmann. Liposome-administered tetramethylhematoporphyrin (TMPH) as a photodynamic agent. SPIE-Proceedings, vol. 2078 (1993) 229-238.

8. A. Rück, WS. Strauss, MH. Gschwend, K. König, B. Brunner, H. Schneckenburger, H. Walt, RW. Steiner. Observation of photodynamically-induced cell destruction probed by video microscopy, laser scanning microscopy, and fluorescence spectroscopy. SPIE-Proceedings Vol 1882: 53-59 (1993).

9. K. König, W-H. Boehncke, A. Rück, R. Kaufmann, R. Steiner, W. Sterry. Photodynamic effects on T-cells and skin lesions of a patient with mycosis fungoides using porphyrin photosensitizers. SPIE-Proceedings, vol. 2086 (1994) 268-276.

10. K. König, G. Beck, W-H Boehncke, R. Kaufmann, R. Hibst. In vivo remission spectroscopy on tattoos and topically applied photosensitizers in man. SPIE-Proceedings, vol. 2086 (1993/1994) 248-256.

11. Herbert Schneckenburger, Michael H. Gschwend, Karsten Koenig, Angelika C. Rueck, Reinhard Sailer, Wolfgang S. Strauss. Subcellular distribution of photodynamic sensitizers. SPIE-Proceedings, vol. 2078 (1994) 251-257

1994

12. K. König, H. Schneckenburger, H. Walt, T. Leemann, M.T. Wyss-Desserich, A. Rück, B. Tromberg. Microscopic Studies on aminolevulinic-acid-incubated tumor cells and tumor spheroids. SPIE-Proceedings, vol. 2133: Optical Methods for Tumor Treatment and Detection (1994) 238-248.

13. K. König, H. Schneckenburger, J. Hemmer, B. Tromberg, R. Steiner. In-vivo fluorescence detection and imaging of porphyrin-producing bacteria in the human skin and in the oral cavity for diagnosis of acne vulgaris, caries, and squamous cell carcinoma. SPIE -Proceedings, vol. 2135 (1994) 129-138.

14. K. König, H. Schneckenburger. Laser-induced dental caries and plaque diagnosis on patients by sensitive autofluorescence spectroscopy and time-gated video imaging. Preliminary studies. SPIE-Proceedings, vol. 2128: Lasers in Surgery (1994) 403-408.

15. K. König, H. Schneckenburger, A. Rück, R. König. Studies on Porphyrin Photoproducts in Solution, Cells, and Tumor Tissue. SPIE-Proceedings vol. 2133: Optical Methods for Tumor Treatment and Detection (1994) 226-237.

16. K. König, H. Schneckenburger, H. Boehncke, R. Hibst. In vivo fluorescence spectroscopy and imaging of ALA-induced endogenous porphyrins in skin after Er:YAG ablation of human stratum corneum. SPIE-Proceedings, vol. 2128: Lasers in Surgery (1994) 218-224.

17. K. König. NAD(P)H and porphyrin attributed laser-induced autofluorescence for medical diagnosis. Proceedings of the International Conference: Lasers & Applications. Advances in science, medicine and technology, NILES 1994, Cairo, March 26-30, 1994

18. Ella D. Reich, Ruediger Bachor, Kurt Miller M.D., Karsten Koenig, Denes Repassy, Richard E. Hautmann. Liposome-administered tetramethylhematoporphyrin (TMHP) as a photodynamic agent for bladder tumor cells. SPIE-Proceedings, vol. 2078, Photodynamic Therapy of Cancer, Mar 1994

19. H. Schneckenburger, K. König, T. Dienersberger, R. Hahn. Time-gated microscopic imaging and spectroscopy. SPIE Proceedings 2083: 124-130.

20. A. Rück, W. Strauss, M. Gschwend, K. König, R. Sailer, R. Steiner, H. Schneckenburger: Photoproducts and new spectral bands during PDT probed by cw and time-gated microscopy and spectroscopy. SPIE Proceedings Vol. 2134 (1994)

1995

21. K. König, Y. Liu, G.J. Sonek, M.W. Berns, B.J. Tromberg. Photoinduced autofluorescence modifications of cells in an optical trap. SPIE-Proceedings, vol. 2329: Optical and Imaging Techniques in Biomedicine (1995) 193-203.
22. S. Kimel, K. König, M.W. Berns. Photodynamic effects on human and chicken erythrocytes. SPIE-Proceedings vol. 2329: Optical and Imaging Techniques in Biomedicine (1995) 269-279.
23. K. König, Y. Liu, T. Krasieva, P. Patrizio, Y. Tadir, G.J. Sonek, M.W. Berns, B.J. Tromberg. Invited Paper: Fluorescence imaging and spectroscopy of motile sperm cells and CHO cells in an optical trap ("laser tweezers"). SPIE-Proceedings, vol. 2391: Laser-Tissue Interaction VI (1995) 238-249.
24. K. König, P. So, W.W. Mantulin, E. Gratton, T. Krasieva, M.W. Berns, B.J. Tromberg. Two-photon excited cellular autofluorescence induced by cw and femtosecond NIR microradiation. SPIE-Proceed. vol. 2628 (1995/96) 12-19.
25. K. König, T. Krasieva, E. Bauer, U. Fiedler, M.W. Berns, B.J. Tromberg, K.O. Greulich. UVA-Induced Oxidative Stress in Single Cells Probed by Autofluorescence Modifications, Cloning Assay, and Comet Assay. SPIE-Proceed. vol. 2628 (1995/96) 43-49.
26. K.O. Greulich, E. Bauer, U. Fiedler, C. Hoyer, K. König, S. Monajembashi. Single cell and single molecule laser biotechnology. SPIE-Proceed. vol. 2629 (1995) 62-69.
27. L. T. Norvang, E. J. Fisherstrand, K. König, B. Bakken, D. Grini, Standahl, T. E. Milner, M. W. Berns, J. S. Nelson, L. O. Svaasand: Comparison between reflectance spectra obtained with an integrating sphere and a fiber-optic collection system. BIOS Sept. 1995, Barcelona, SPIE-Proceed. 2624. (1995) 1155-64.

1996

28. K. König, T. Krasieva, Y. Liu, M.W. Berns, B.J. Tromberg. Invited Paper: Two-photon excitation in living cells induced by low-power CW laser beams. SPIE Proceedings, vol. 2678: Optical Diagnostics of Living Cells and Biofluids. (1996) 30-37.
29. K. König. Invited Paper: Porphyrin- and NADH- attributed autofluorescence for medical diagnostics. Proceedings "LASER 95" of the Society for Optical and Quantum Electronics. Charleston. 413-419.
30. K. König, P. So, W.W. Mantulin, E. Gratton. Cell damage in Two-Photon Microscopes. SPIE-Proceedings, vol. 2926 (1996) 172-176.
31. K. König, L. Svaasand, Y. Tadir, B. Tromberg, M.W. Berns. Optical determination of motility forces in human spermatozoa with laser tweezers. SPIE-Proceed, 2926 (1996) 251-256.

1997

32. K. König, H. Liang, S. Kimel, L.O. Svaasand, B. Tromberg, T. Krasieva, M.W. Berns, P. So, W.W. Mantulin, E. Gratton, K.J. Halhuber: Cell damage in UVA and cw/femtosecond NIR microscopes. SPIE-Proceedings, vol. 2983 (1997) 37-44.
33. K. König, H. Oehring, K.-J. Halhuber, U. Fiedler, E. Bauer, K.O. Greulich. Comet assay, cloning assay, light- and electron microscopy on one preselected cell. SPIE-Proceedings, vol. 3199 (1998) 148-155.
34. K. König. Laser tweezers as novel nonlinear tools in cell and biomolecule diagnostics. SPIE-Proceedings, vol. 3199 (1997/98) 178-182.

1998

35. K. König, M. Teschke, S.G. Eick, W. Pfister, H. Meyer. Photodynamic-induced inactivation of propionibacterium acnes. SPIE-Proceedings, vol. 3247 (1998) 106-110.
36. K. König, B.J. Tromberg, Y. Tadir, M.W. Berns. How safe is gamete micromanipulation by laser tweezers? SPIE-Proceedings, vol. 3260 (1998) 30-36.

1999

37. K. König, I. Riemann, P. Fischer, T. Becker, H. Oehring, K.J. Halhuber. Invited paper: Cloning assay thresholds on cells exposed to ultrafast laser pulses. SPIE-Proceedings, vol. 3616 and vol. 3604 (1999) 40-50.
38. K. König, I. Riemann, P. Fischer. Photodynamic therapy by nonresonant two-photon excitation. SPIE-Proceedings, vol. 3592 (1999) 43-49.
39. K. König, I. Riemann, P. Fischer, K.-J. Halhuber. Intracellular nanosurgery with compact femtosecond laser. In: 18th Congress of the International Commission for Optics: Optics for the next Millennium, SPIE-Proceedings, vol. 3749 (1999) 390.

2000

40. K. König, I. Riemann, A. Göhlert, P. Fischer, T. Liehr, I.F. Loncarevic, U. Claussen, K.J. Halhuber. Multiphoton Multicolor FISH. SPIE-Proceedings, vol. 4164 (2000).

2001

41. K. König, I. Riemann. Intrazelluläre Nanochirurgie. Bioforum 3 (2001) 124-125.

42. C.Y. Dong, E.A. Bevan, L. Hsu, K. König, P.T.C. So. Invited paper: Characterization of two-photon point spread function in turbid medium by direct measurements, multicoloc imaging, and blind deconvolution. SPIE-Proceedings, vol. 4262 (2001) 73-81.
43. W. Becker, A. Bergmann, K. König, U. Tirlapur. Picosecond Fluorescence Lifetime Microscopy by TCSPC Imaging. SPIE-Proceedings, vol. 4262 (2001) 414-419.
44. W. Becker, K. Benndorf, A. Bergmann, C. Biskup, K. König, U. Tirlapur, T. Zimmer. FRET measurements by TCSPC laser scanning microscopy. SPIE-Proceedings, vol. 4431

2002

45. K. König, I. Riemann, O. Krauss, W. Fritzsche. Invited paper: Nanodissection of human chromosomes and ultraprecise eye surgery with anojoule near infrared femtosecond laser pulses. SPIE-Proceedings, vol. 4633 (2002) 11-22.
46. K. König, U. Wollina, I. Riemann, C. Peuckert, K.J. Halbhuber, V. Fünfstück, T.W. Fischer, P. Elsner. Optical tomography of human skin with subcellular spatial and picosecond time resolution. SPIE-Proceedings, 4620 (2002) 191-201.

2003

47. K. König, I. Riemann, U.K. Tirlapur. Optical gene transfer by femtosecond laser pulses. SPIE-Proceedings, vol. 4963 (2003) 81-88.

2004

48. F. Fischer, K. König, S. Puschmann, R. Wepf, I. Riemann, V. Ulrich, P. Fischer. Characterization of multiphoton laser scanning device optical parameters for image restoration. SPIE-Proceedings, vol. 5463: Femtosecond Laser Applications in Biology. (2004) 140-145.
49. W. Becker, A. Bergmann, G. Biscotti, K. König. High-Speed FLIM Data Acquisition by Time-Correlated Single Photon Counting. SPIE-Proceeding, vol. 5323: Multiphoton Microscopy in the Biomedical Sciences IV (2004) 27-35.
50. K. Schenke-Layland, F. Opitz, I. Riemann, U. A. Stock, V. Ulrich, K. König. Multiphoton imaging of cardiovascular structures. Proceedings of the SPIE, vol. 5463 (2004) 29-36.
51. K. Schenke-Layland, I. Riemann, U. A. Stock, K. König. Non-invasive multiphoton imaging of cardiovascular structures using NIR femtosecond laser scanning microscopy. SPIE-Proceeding 5312 (2004) 300-308.
52. K. König. Multiphoton tomography, transfection and nanosurgery with $<2nJ$, 80 MHz Femtosecond Laser Pulses. SPIE-Proceedings, vol. 5340 (2004) 37-46.
53. K. König. Femtosecond laser application in biotechnology and medicine. LPM 2004 in Nara, Japan. SPIE-Proceedings, vol. 5662 (2004) 255-267.
54. K. König, I. Riemann, G. Ehrlich, V. Ulrich, P. Fischer. Multiphoton FLIM and Spectral Imaging of Cells and Tissues. SPIE-Proceed., vol. 5323: Multiphoton Microscopy in the Biomedical Sciences IV (2004) 240-251.
55. K. König, F. Garwe, A. Czaki, G. Maubach, I. Riemann, W. Fritzsche. Nanoprocessing of DNA with femtosecond laser. SPIE-Proceedings, vol. 5462: Biophotonics Micro- and Nano-Imaging. (2004) 27-36.
56. K. König, B. Wang, O. Krauss, I. Riemann, H. Schubert, S. Kirste, P. Fischer. First in vivo animal studies on intraocular nanosurgery and multiphoton tomography with low-energy 80 MHz near infrared femtosecond laser pulses. SPIE-Proceedings, vol. 5314: Ophthalmic technology XIV (2004) 262-269.
57. I. Riemann, P. Fischer, M. Kaatz, T.W. Fischer, P. Elsner, E. Dimitrov, A. Reif, K. König. Optical Tomography of pigmented human skin biopsies. SPIE-Proceedings, vol. 5312 (2004) 24-34 doi: 10.1117/12.528278.
58. I. Riemann, P. Fischer, K. König. Photodynamic therapy and knocking out of single tumor cells by multiphoton excitation processes. SPIE-Proceedings, vol. 5462: Biophotonics Micro- and Nano-Imaging (2004) 103-109.
59. I. Riemann, E. Dimitrow, P. Fischer, A. Reif, M. Kaatz, P. Elsner, K. König. High resolution multiphoton tomography of human skin in vivo and in vitro. SPIE-Proceeding, vol. 5312 (2004) 21-28.
60. T. Velten, H. Schuck, I. Riemann, F. Bauerfeld, D. Sauer, K. König. Time-Resolved and Spectrally-Resolved 5D Multiphoton Microscopy for Analysis and Nanoprocessing of Biological and Non-Biological Materials. LANE 2004.

2005

61. H. Schuck, R. Le Harzic, T. Anhut, F. Bauerfeld, D. Sauer, T. Velten, K. König. Processing of Polymers and Silicon by means of a Laser scanning microscope. WLT-Conference Munich, 2005
62. R. LeHarzic, H. Schuck, R. Buckle, T. anhut, F. Bauerfeld, D. Sauer, K. König. Influence of laser parameters for micro and sub- μm processing by short and ultrashort laser pulses. WLT-Conference Munich, 2005
63. T. Anhut, I. Riemann, K. König, R. LeHarzic, A. Killi, U. Morgner. Nonlinear laser-scanning microscopy and microprocessing of biological and technical materials using a new diode-pumped solid-state femtosecond laser pulses with cavity dumping. ECBO 2005
64. K. König. Femtosecond laser application in biotechnology and medicine. Proc. SPIE vol. 5662 (2005) 255-267.

65. K. König, F. Garwe, A. Csaki, G. Maubach, I. Riemann, W. Fritzsche. Nanoprocessing of DNA with femtosecond laser. *Proc. SPIE*, Vol. 5462, 27 (2004); doi:10.1117/12.545730
66. K. König, I. Riemann, H. Schuck, D. Sauer, T. Velten, R. LeHarzic. Time-resolved and spectrally resolved 5D multiphoton microscopy for analysis and nanoprocessing of materials. *SPIE-Proceedings*, vol. 5713: Photon Processing in Microelectronics and Photonics IV (2005) 552-559.
67. K. König, B. Wang, I. Riemann, J. Kobow. Cornea surgery with nanojoule femtosecond laser pulses. *SPIE-Proceedings*, vol. 5688: Ophthalmic technologies XV (2005) 288-293.
68. K. König, I. Riemann, A. Ehlers, R. LeHarzic. In vivo non-invasive multiphoton tomography of human skin. *SPIE-Proceedings*, vol. 5990 (2005) 220-232.
69. A. Czaki, G. Maubach, F. Garwe, A. Steinbrück, K. König, W. Fritzsche. A novel DNA restriction technology based on laser pulse energy conversion on sequence-specific bound metal nanoparticles. *SPIE-Proceedings*, vol. 5699: Imaging, Manipulation, and Analysis of Biomolecules and Cells (2005) 436-441.
70. W. Becker, A. Bergmann, E. Hausteiner, Z. Petrusek, P. Schwill, C. Biskup, T. Anhut, I. Riemann, K. König. Fluorescence lifetime imaging and correlation spectra obtained by multi-dimensional TCSPC. *SPIE Proceedings*, vol. 5700 (2005) 144-151.
71. A. Ehlers, I. Riemann, T. Anhut, J. Kobow, K. König. Multiphoton tomography of epidermis and dermis. *SPIE-Proceedings*, vol. 5700 (2005) 197-204. *SPIE Proceedings*, vol. 5860 (2005).
72. T. Anhut, K. Hassler, T. Lasser, K. König, R. Rigler. Fluorescence Correlation Spectroscopy on dielectric surfaces in total internal reflection geometries. *SPIE-Proceedings*, vol. 5699 (2005) 159-166.
73. W. Fritzsche, A. Czaki, A. Steinbrück, F. Garwe, K. König, M. Raschke. Metal nanoparticles as passive and active tools for bioanalytics. *SPIE-Proceedings*, vol. 5699 (2005) 414-418.
74. B. Wang, I. Riemann, H. Schubert, S. Kirste, K. König. In vivo animal follow-up studies on intrastromal surgery with near infrared nanojoule femtosecond laser pulses. *SPIE-Proceedings*, vol. 5695 (2005) 292-302.
75. B. Wang, K.-J. Halhuber, I. Riemann, K. König. In-vivo corneal nonlinear optical tomography based on second harmonic and multiphoton autofluorescence imaging induced by near-infrared femtosecond lasers with rabbits. *SPIE Proceedings*, vol. 5964, 2005.
76. I. Riemann, A. Ehlers, A. Reif, J. Kobow, K. König. In vivo multiphoton tomography of skin as a tool to study the effects of topically applied probes and UV exposure. *SPIE-Proceedings*, vol. 5686 (2005) 105-110.
77. I. Riemann, E. Dimitrow, M. Kaatz, J. Fluhr, P. Elsner, J. Kobow, K. König. In vivo multiphoton tomography of inflammatory tissue and melanoma. *SPIE-Proceedings*, vol. 5686 (2005) 97-104.
78. I. Riemann, A. Killi, T. Anhut, R. Le Harzic, U. Morgner, K. König. Imaging and nanosurgery of biological specimen with a new diode pumped femtosecond laser at a wavelength of 1040 nm", Beyer E, Dausinger F, Ostendorf A, Otto A (eds.). *Proceed. 3rd international WLT-conference on lasers in manufacturing*, Munich, June 2005. AT-Fachverlag GmbH, Stuttgart, (2005) 781-784.
79. M. Hild, MHJ. Krause, U. Löw, KW. Ruprecht, I. Riemann, K. König. Experimental intraretinal tissue ablation using femtosecond-laser pulses. *Proceed. 3rd WLT-conference on lasers in manufacturing*, Munich, June 2005.
80. K. König, I. Riemann, W. Fritzsche, A. Czaki, G. Maubach. Nanoprocessing of DNA with NIR femtosecond laser. *Proceed. 3rd international WLT-conference on lasers in manufacturing*, Munich, June 2005.
81. I. Riemann, T. Anhut, F. Stracke, R. LeHarzic, K. König. Multiphoton nanosurgery in cells and tissues. *SPIE-Proceedings*, vol. 6089: Optical Interactions with Tissue and Cells XVI (2005) 216-224.
82. R. LeHarzic, D. Breitling, S. Sommer, C. Fohl, S. Valette, K. König, F. Dausinger, E. Audouard. Pulse duration and energy density influence on laser processing of metals with short and ultrashort pulses. *SPIE-Proceedings*, vol. 5713: Photon Processing in Microelectronics and Photonics IV (2005) 115-122.
83. R. LeHarzic, D. Sauer, I. Riemann, K. König. Nanoprocessing of semiconductors and metals with nJ femtosecond laser pulses. *SPIE-Proceed.*, vol. 5989 (2005).

2006

84. K. König, H. Schuck, D. Sauer, F. Bauerfeld, F. Stracke, T. Velten, A. Tchernook, S. Martin, R. LeHarzic. Invited paper: Femtosecond laser nanoprocessing using near infrared nanojoule pulses at MHz repetition frequency. *SPIE-Proceedings*, vol. 6400: Femtosecond phenomena and nonlinear optics III (2006) 64000C.
85. K. König, I. Riemann, A. Ehlers, R. Bückle, E. Dimitrow. In vivo multiphoton tomography of skin cancer. *#SPIE-Proceedings*, vol. 6089: Multiphoton Microscopy in the Biomedical Sciences VI (2006) 60890R.
86. B.G. Wang, K. König, I. Riemann, H. Schubert, K.-J. Halhuber. Multiphoton imaging of corneal tissue with near-infrared femtosecond laser pulses: corneal optical tomography and its use in refractive surgery. *SPIE-Proceedings*, vol. 6089: Multiphoton microscopy in the biomedical sciences VI (2006) 11S.
87. R. LeHarzic, S. Martin, R. Bückle, C. Wullner, C. Donitzky, I. Riemann, K. König. New developments in corneal refractive surgery with femtosecond laser pulses. *SPIE-Proceed.* 2006, vol. 6138: Ophthalmic Technologies XVI (2006) 353-362.
88. I. Riemann, K. Schenke-Layland, A. Ehlers, E. Dimitrov, M. Kaatz, P. Elsner, S. Martin, K. König. High-resolution multiphoton optical tomography of tissues – an in vitro and in vivo study. *SPIE-Proceedings*, vol. 6142: Medical Imaging 2006: Physics of Medical Imaging (2006) 61420N-1.

89. I. Riemann, F. Stracke, D. Sauer, S. Martin, K. König. Multiphoton nanosurgery in cells and tissues. SPIE-Proceedings, vol. 6089: Multiphoton Microscopy in the Biomedical Sciences VI (2006) 608918.
90. A. Ehlers, I. Riemann, T. Anhut, M. Kaatz, P. Elsner, K. König. Fluorescence lifetime imaging of human skin and hair. SPIE-Proceedings, vol. 6089: Multiphoton Microscopy in the Biomedical Sciences VI (2006) 60890N.
91. A. Csaki, F. Garwe, A. Steinbrück, A. Weise, K. König, W. Fritzsche. Localization of laser energy conversion by metal nanoparticles: basic effects and applications. SPIE- Proceedings, vol. 6191: Biophotonics and New Therapy Frontiers (2006) 61911K.

2007

92. B. Messerschmidt, A. Kraeplin, S. Schenkl, I. Riemann, M. Stark, A. Ehlers, A. Tchernook, R. LeHarzic, K. König. Novel concept of GRIN optical systems for high resolution microendoscopy: Part 1. Physical aspects. SPIE-Proceedings, vol. 6432 Endoscopic microscopy II (2007) paper 643202.
93. A. Uchugonova, I. Riemann, F. Stracke, E. Gorjup, R. LeHarzic, K. König. The influence of NIR femtosecond alser radiation on the viability of 3D stem cell clusters and tumor spheroids. SPIE-Proceedings, vol. 6442: Multiphoton Microscopy in the Biomedical Sciences VII (2007) 64421Z.
94. A. Ehlers, S. Schenkl, I. Riemann, B. Messerschmidt, M. Kaatz, R. Bückle, K. König. In vivo multiphoton endoscopy of endogenous skin fluorophores. SPIE-Proceedings, vol. 6442 (2007) 64421Y.
95. F. Stracke, M. Schneider, B. Weiss, C.-M. Lehr, U. F. Schäfer, K. König. Multiphoton microscopy for the investigation of trans-cutaneous drug delivery. SPIE-Proceedings, vol. 6630 (2007) 663010.
96. M. Stark, B. Manz, I. Riemann, F. Volke, W. Weschke, K. König. Multiphoton and magnetic resonance imaging of barley embryos: comparing micro-imaging techniques across scale and parameter barriers. SPIE-Proceedings, vol. 6442: Multiphoton Microscopy in the Biomedical Sciences VII (2007) 644227.
97. M. Stark, D. Dörr, A. Ehlers, D. Sauer, R. Bückle, S. Martin, F. Ehrhart, J. Baunach, A. Katsen-Globa, H. Zimmermann, K. König. Multiphoton imaging and fluorescence lifetime studies on unstained cells and tissue at cryogenic conditions. SPIE-Proceedings, vol. 6628: Optical Spectroscopy in Biomedicine IV (2007) 662809.
98. I. Riemann, A. Ehlers, R. LeHarzic, S. Martin, A. Reif, K. König. In vivo multiphoton tomography of skin during wound healing and scar formation. SPIE-Proceedings, vol. 6442 (2007) 644226.
99. I. Riemann, A. Ehlers, D. Dill-Müller, S. Martin, K. König. Multiphoton tomography of skin tumors after ALA application. SPIE-Proceedings, vol. 6424: Photonic Therapeutics and Diagnostics III (2007) 642405.
100. I. Riemann, F. Stracke, A. Uchugonova, S. Martin, R. Bückle, K. König. Optical nano-injection into cells and 3D stem cell-clusters via a NIR femtosecond laser. SPIE-Proceedings, vol. 6442 (2007) 64421F.
101. H. Schuck, F. Bauerfeld, D. Sauer, R. LeHarzic, T. Velten, I. Riemann, K. König. Rapid prototyping of 3D micro- nanostructures to explore cell behaviour. 3rd Intern. Conf. on Multi-Material Micro Manufacture (4M), Borovets, Bulgarien, 3.-5.10.2007 Proceedings (2007).
102. S. Schenkl, A. Ehlers, I. Riemann, B. Messerschmidt, K. König. Rigid and high NA fluorescence GRIN-endoscopes. SPIE-Proceedings, vol. 6631 (2007) 66310Q.
103. S. Schenkl, E. Weiss, M. Stark, F. Stracke, I. Riemann, R. Lemor, K. König. Imaging living cells with a combined high-resolution multi-photon-acoustic microscope. SPIE-Proceedings, vol. 6437 (2007) 64372A.
104. S. Schenkl, A. Ehlers, I. Riemann, B. Messerschmidt, R. Bückle, K. König. Applications of rigid and flexible GRIN-endoscopes. SPIE-Proceedings, vol. 6433 (2007) 64330N.
105. K. König, A. Ehlers, I. Riemann, S. Schenkl, B. Messerschmidt, R. Bückle, R. Le Harzic, P. Elsner, M. Kaatz. Clinical in vivo two-photon microendoscopy for intradermal high-resolution imaging with GRIN optics. SPIE-Proceedings, 6442 (2007) 644215.
106. R. Le Harzic, C. Wüllner, C. Donitzky, K. König. New developments in femtosecond laser corneal refractive surgery. SPIE-Proceedings, vol. 6460 (2007) 64600E.
107. R. Le Harzic, C. Wüllner, D. Bruneel, C. Donitzky, K. König. Femtosecond refractive eye surgery: study of laser parameters for even more efficiency and safety. SPIE-Proceedings, vol. 6633 (2007) 663217.
1108. R. Le Harzic, A. Colonna, R. Bückle, A. Ehlers, C. Hadjur, F. Leroy, F. Flament, R. Bazin, B. Piot, I. Riemann, K. König. In vivo multiphoton tomography: a non invasive powerful tool for biochemical investigation of human skin. SPIE-Proceedings, vol. 6630 (2007) 66300V.
109. F. Ehrhart, D. Dörr, M. Stark, K. König, H. Zimmermann. Laser assisted processing of cross-linked alginate hydrogel. WLT Conference, München 2007.
110. M Stark ^{a1}, D Dörr ^{a1}, F Ehrhart ^{a1}, J Schulz ^{a1}, J Baunach ^{a1}, A Katsen-Globa ^{a1}, A Ehlers ^{a2}, K König ^{a2} and H Zimmermann. Multiphoton Fluorescence Imaging at Cryogenic Conditions. Microscopy and Microanalysis. Vol 13, Suppl. S03, September 2007, pp 110-111.

2008

111. A. Uchugonova, J. Müller, R. Bückle G. Tempea, A. Isemann, A. Stingl, K. König. Negatively chirped laser enables nonlinear excitation and nanoprocessing with sub-20-fs pulses. Proc. SPIE 6860, 686015 (2008) / doi:10.1117/12.763709
112. A. Uchugonova, K. König. Two-photon imaging of stem cells.

Proc. SPIE 6860, 68601W (2008) / doi:10.1117/12.762734

113. P. Becker, D. Sauer, F. Bauerfeld, K. König, R. LeHarzic. Surface and bulk micro- and nano-structuring with nanojoule femtosecond laser pulses at high repetition rate. Proc. SPIE 6879, 68791R (2008) / doi:10.1117/12.767638

114. K. König. Multiphoton tomography for tissue engineering.

Proc. SPIE 6858, 68580C (2008) / doi:10.1117/12.771187

115. K. König, J. Müller, M. Höfer, C. Müller, M. Weinigel, R. Bückle, P. Elsner, M. Kaatz, B. Messerschmidt. Invited review: Two-photon scanning systems for clinical high-resolution in vivo tissue imaging.

Proc. SPIE 6860, 686014 (2008) / doi:10.1117/12.762986

116. I. Riemann, S. Schenkl, R. LeHarzic, D. Sauer, A. Ehlers, B. Messerschmidt, R. Bückle, K. König. Two-photon imaging using a flexible endoscope. Proc. SPIE 6851, 68510B (2008) / doi:10.1117/12.762970

117. I. Riemann, A. Ehlers, R. LeHarzic, E. Dimitrow, M. Kaatz, P. Elsner, R. Bückle, K. König. Non-invasive analysis/diagnosis of human normal and melanoma skin tissues with two-photon FLIM in vivo Proc.

SPIE 6842, 684205 (2008) / doi:10.1117/12.762937

118. V.K. Pustovalov, K. König, L.G. Astafyeva, W. Fritzsche. Optical properties of core-shell gold-silver and silver-gold nanoparticles for some laser wavelengths. Proc. SPIE 6879, 687915 (2008) / doi:10.1117/12.761551

119. V.K. Pustovalov, K. König, L.G. Astafyeva. Distributions of laser radiation intensity inside gold nanoparticles during laser radiation. Proc. SPIE 6879, 687916 (2008) / doi:10.1117/12.761515

2009

120. K. König, R. Bückle, M. Weinigel, P. Elsner, M. Kaatz: Clinical multiphoton tomography and clinical two-photon microendoscopy. Proc. SPIE 7183, 718319 (2009) doi:10.1117/12.813395

121. K. König, R. Bückle, M. Weinigel, J. Köhler, P. Elsner, M. Kaatz: In vivo multiphoton tomography in skin aging studies. Proc. SPIE 7161, 71610H (2009) / doi:10.1117/12.813398

122. M. Schwarz, I. Riemann, M. Weinigel, K. König, B. Messerschmidt, R. Le Harzic: New developments in two photon endoscopy. Proc. SPIE 7172, 717204 (2009) / doi:10.1117/12.808781

123. A. Uchugonova, A. Isemann, R. Bückle, W. Watanabe, K. König: Two-photon imaging and nanoprocessing of stem cells with sub-20 fs laser pulses. Proc. SPIE 7183, 71831A (2009) / doi:10.1117/12.812950

124. D. Bruneel, M. Schwarz, E. Audouard, K. König, R. Le Harzic: Development of a powerful tool for nanostructuring and multiphoton imaging with nanojoule femtosecond laser pulses.

Proc. SPIE 7201, 720117 (2009) / doi:10.1117/12.808800

125. I. Riemann, M. Schwarz, F. Stracke, A. Ehlers, E. Dimitrow, M. Kaatz, K. König, R. Le Harzic: New developments in two-photon analysis of human skin in vivo.

Proc. SPIE 7203, 720306 (2009) / doi:10.1117/12.808770

2010

126. K. König, M. Weinigel, H. G. Breunig, A. Gregory, P. Fischer, M. Kellner-Höfer, R. Bückle, M. Schwarz, I. Riemann, F. Stracke, V. Huck, C. Gorzelanny, S. W. Schneider: 5D-intravital tomography as a novel tool for non-invasive in-vivo analysis of human skin. Proc. SPIE 7555, 75551I (2010) / doi:10.1117/12.841861

127. K. König, A. Uchugonova, M. Schug, H. Zhang, S. Saremi, D. Feili, H. Seidel: Two-photon lithography and nanoprocessing with picjoule extreme ultrashort 12 femtosecond laser pulses.

Proc. SPIE 7584, 75840K (2010) / doi:10.1117/12.841993

128. A. Uchugonova, Z. Földes-Papp, G. M. Kostner, K. König: Long-term marker-free multiphoton imaging, targeted transfection, optical cleaning of stem cell clusters, and optical transport of microRNA with extreme ultrashort laser pulses. Proc. SPIE 7569, 756916 (2010) / doi:10.1117/12.842024

129. K. König, M. Weinigel, H. G. Breunig, A. Gregory, P. Fischer, M. Kellner-Höfer, R. Bückle: Current developments in clinical multiphoton tomography. Proc. SPIE 7569, 756915 (2010) / doi:10.1117/12.843117

130. M. Schwarz, I. Riemann, F. Stracke, V. Huck, C. Gorzelanny, S. W. Schneider, K. König, S. Puschmann, V. Lutz, N. Sommer, C. Rahn, S. Gallinat, H. Wenck, K.-P. Wittern, F. Fischer: A comparative study of different instrumental concepts for spectrally and lifetime-resolved multiphoton intravital tomography (5D-IVT) in dermatological applications. Proc. SPIE 7568, 75680D (2010) / doi:10.1117/12.840843

131. K. König, M. Speicher, M. J. Koehler, R. Scharenberg, P. Elsner, M. Kaatz: Clinical combination of multiphoton tomography and high frequency ultrasound imaging for evaluation of skin diseases. Proc. SPIE 7564, 75642K (2010) / doi:10.1117/12.840961

132. V. Huck, C. Gorzelanny, K. Thomas, V. Niemeyer, T. A. Luger, K. König, S. W. Schneider: Intravital multiphoton tomography as a novel tool for non-invasive in vivo analysis of human skin affected with atopic dermatitis. Proc. SPIE 7548, 75480B (2010) / doi:10.1117/12.841973

133. K. König, M. Speicher, R. Bückle, J. Reckfort, G. McKenzie, J. Welzel, M. J. Koehler, P. Elsner, M. Kaatz: Clinical optical coherence tomography combined with multiphoton tomography for evaluation of several skin disorders. Proc. SPIE 7554, 75542I (2010) / doi:10.1117/12.841765

134. H. G. Breunig, H. Studier, K. König: Excitation-wavelength dependence of multiphoton excitation of fluorophores of human skin in vivo. Proc. SPIE 7548, 754806 (2010) / doi:10.1117/12.840955

135. H. Studier, H. G. Breunig, K. König: Two-photon imaging with 80 MHz and 1-GHz repetition rate Ti:sapphire oscillators. *Proc. SPIE* 7569, 75691D (2010) / doi:10.1117/12.841106
136. M. Weinigel, H. G. Breunig, A. Gregory, P. Fischer, M. Kellner-Höfer, R. Bückle, K. König: A novel flexible clinical multiphoton tomograph for early melanoma detection, skin analysis, testing of anti-age products, and in situ nanoparticle tracking.

2011

137. K. König, A. Uchugonova, M. Straub, H. Zhang, M. Afshar, D. Feili, H. Seidel: Sub-100 nm material processing with sub-15 femtosecond picojoule near infrared laser pulses. *Proc. SPIE* 7903, 79031M (2011)
138. M. Straub, K. König: Nanostructure formation on silicon surfaces by high repetition rate sub-15 femtosecond near infrared laser pulses. *Proc. SPIE* 7920, 79200P (2011)
139. H. Zhang, M. Straub, K. König, M. Afshar, D. Feili, H. Seidel: Nanoprocessing of glass and PMMA by means of near-infrared sub-15 femtosecond laser pulses. *Proc. SPIE* 7921, 79210L (2011)
140. M. Licht, M. Straub, K. König, M. Afshar, D. Feili, H. Seidel: Three-dimensional nanostructures for applications in cell biology generated by high-repetition rate sub-15 fs near-infrared laser pulses. *Proc. SPIE* 7908, 79080M (2011)
141. A. Uchugonova, H. Zhang, C. Lemke, K. König: Nanosurgery with near-infrared 12-femtosecond and picosecond laser pulses. *Proc. SPIE* 7903, 79031N (2011)
142. M. Afshar, S. Saremi, H. Völlm, D. Feili, H. Seidel, M. Straub, H. Zhang, K. König: Multiphoton lithography and ITO structuring by high-repetition-rate sub-15 femtosecond laser pulses. *Proc. SPIE* 7920, 792015 (2011)
143. C.B. Talbot, R. Patalay, I. Munro, H.G. Breunig, K. König, Y. Alexandrov, S. Warren, A. Chu, G.W. Stamp, M.A.A. Neil, P.M.W. French, C. Dunsby: A multispectral FLIM tomograph for in-vivo imaging of skin cancer. *Proc. SPIE* 7903, 79032B (2011) / doi:10.1117/12.873567
144. K. König: High-resolution multimodal clinical multiphoton tomography of skin. *Proc. SPIE* 7883, 78830D (2011) / doi:10.1117/12.874899
145. K. König: Keynote Paper. New developments in multimodal clinical multiphoton tomography. *Proc. SPIE* 7903, 790305 (2011) / doi:10.1117/12.874965
146. V. Huck, C. Gorzelanny, K. Thomas, C. Mess, V. Dimitrova, M. Schwarz, I. Riemann, V. Niemeyer, T.A. Luger, K. König, S.W. Schneider: Intravital multiphoton tomography as an appropriate tool for non-invasive in vivo analysis of human skin affected with atopic dermatitis. *Proc. SPIE* 7883, 78830R (2011) / doi:10.1117/12.874218
147. R. Patalay, C. Talbot, I. Munro, H.G. Breunig, K. König, Y. Alexandrov, S. Warren, M.A.A. Neil, P.M.W. French, A. Chu, G.W. Stamp and C. Dunsby: Fluorescence lifetime imaging of skin cancer. *Proc. SPIE* 7883, 78830A (2011) / doi:10.1117/12.873298
148. H.G. Breunig, K. König: Spectral characteristics of two-photon autofluorescence and second harmonic generation from human skin in vivo. *Proc. SPIE* 7883, 788311 (2011) / doi:10.1117/12.874990
149. H.G. Breunig, M. Weinigel, J. Lademann, W. Sterry, I. Latka, B. Dietzek, J. Popp, K. König: Combining multiphoton and CARS microscopy for skin imaging. *Proc. SPIE* 7903, 79031A (2011) / doi:10.1117/12.874969
150. Patalay, C. Talbot, Y. Alexandrov, I. Munro, H. G. Breunig, K. König, S. Warren, M. A. A. Neil, P. M. W. French, A. Chu, G. W. Stamp, C. Dunsby: Non-invasive imaging of skin cancer with fluorescence lifetime imaging using two photon tomography. *SPIE-Proceed. Vol. 8087, 808718*, doi:10.1117/12.889314

2012

151. K. König. Multiphoton Tomography if Intratissue Tattoo Nanoparticles. *SPIE-Proceed. Vol. 8207, 82070S*
152. M. Weinigel, H.G. Breunig, P. Fischer, M. Kellner-Höfer, R. Bückle, K. König. Compact clinical high-NA multiphoton endoscopy. *SPIE-Proceed. Vol. 8217, 821706*
153. H. G. Breunig, M. Weinigel, K. König. Multiphoton Spectroscopy of human skin in vivo. *SPIE-Proceed. Vol. 8225, 82251D*
154. H.G. Breunig, C. Köhler, K. König. Two-photon cryomicroscope. *SPIE-Proceed. Vol 8225, 822516*
155. K. König. Invited paper. Clinical multiphoton FLIM tomography. *SPIE-Proceed. Vol. 8226, 82260H*
156. A. Uchugonova, R. Hoffmann, M. Weinigel, K. König. Invited paper. Watching stem cells at work with a flexible multiphoton tomograph. *SPIE-Proceed. Vol. 8226, 82260V*
157. H.G. Breunig, M. Weinigel, M.E. Darvin, J. Lademann, K. König. Clinical multiphoton and CARS microscopy. *SPIE-Proceed. Vol. 8226, 822623*
158. M. Weinigel, H.G. Breunig, P. Fischer, M. Kellner-Höfer, R. Bückle, K. König. Studies on wide-field-of-view multiphoton imaging using the flexible clinical multiphoton tomograph MPTflex. *SPIE-Proceed. Vol. 8226, 82262J*
159. M. Straub, A. Uchugonova, K. König. Silicon cell culture templates with nanotopography: Periodic nanostructures and random nanoporous topologies generated by high-repetition rate sub-15 fs pulsed near-infrared laser light. *SPIE-Proceed. Vol. 8231, 82310P*
160. K. König, M. Licht, M. Straub, A. Uchugonova. Material Processing with 12 Femtosecond Picjoule Laser Pulses. *SPIE-Proceed. Vol. 8249, 82490N*

161. M. Straub, B. Weigand, K. König. Nanostructure formation on lithium niobate surfaces by high-repetition rate sub-15 fs near-infrared laser pulses. SPIE-Proceed. Vol. 8243, 82431B
162. K. König. In vivo CARS tomography combined with two-photon autofluorescence and SHG imaging in patients with dermatological disorders. Proceed. 30th International Congress on High Speed Imaging & Photonics, Pretoria, South Africa, September 2012.
163. A. Uchugonova, R. Hofmann, K. König. Multiphoton Tomography with Submicron Spatial Resolution of Living Tumor-Bearing Mice. Proceed. 30th International Congress on High Speed Imagng & Photonics, Pretoria, South Africa, September 2012.
164. M. Afshar, D. Feili, H. Voellm, M. Straub, K. Koenig, H. Seidel. Nanoscale Laser Writing of Indium-Tin-Oxide Nanowires. NEMS 2012, Kyoto, Japan, März 5-8, 2012.

2013

165. H.G. Breunig, M. Weinigel, M. Kellner-Höfer, R. Bückle, M.E. Darvin, J. Lademann, K. König. Combining multiphoton and CARS microscopy for skin imaging. SPIE-Proceed. Vol. 8588, 85880N
166. M. Weinigel, H.G. Breunig, M. Kellner-Höfer, R. Bückle, M. Darvin, J. Lademann, K. König. New developments in clinical CARS. SPIE-Proceed. Vol. 8588, 85881E
167. G.H. Breunig, A. Uchugonova, K. König. Multiphoton cryo microscope with sample temperature control. SPIE-Proceed. Vol. 8588, 858819
168. M. Weinigel, H.G. Breunig, P. Fischer, M. KellnerHöfer, R. Bückle, K. König. Multiphoton Microscopy Best Poster Award. Clinical multiphoton endoscopy with FLIM capability. SPIE-Proceed. Vol. 8588, 85882E
169. M. Balu, K.M. Kelly, C.B. Zachary, R.M. Harris, T.B. Krasieva, K. König, B.J. Tromberg. Invited paper: Clinical studies of pigmented lesions in human skin by using a multiphoton tomograph. SPIE-Proceed. Vol. 8588, 858812
170. A. Uchugonova, I. Riemann, F. Stracke, R. LeHarzic, K. König. Optical knocking out of single cells in tumor spheroids by femtosecond laser. Proceed. Fourth International WLT-Conference in Manufacturing, June 2007

2014

171. H.G. Breunig, A. Uchugonova, K. König. Multiphoton imaging of biological samples during freezing and heating. SPIE-Proceed. Vol. 8948, 894819
172. H.G. Breunig, A. Uchugonova, K. König. Towards optical cell transfection inside a micro-flow cell. SPIE-Proceed. Vol. 8947, 89471J
173. Keynote Lecture. K. König, M. Weinigel, H.G. Breunig, A. Uchugonova. Quantitative Multiphoton Imaging. SPIE-Proceed. Vol. 8948, 894804
174. M. Weinigel, H.G. Breunig, K. König. A novel clinical multimodal multiphoton tomograph for AF, SHG, CARS imaging, and FLIM. SPIE-Proceed. Vol. 8948, 89481R
175. A. Uchugonova, A. Batista, K. König. Fluorescence Lifetime Imaging of Pluripotent Stem Cells. SPIE-Proceed. Vol. 8948, 89481I.
176. A. Batista, A.M. Morgado, K. König. Detection of back-reflected SHG from corneal histological sections. SPIE-Proceed. Vol. 8948, 89482B.
177. A. Batista, H.G. Breunig, A. Uchugonova, B. Seitz, A.M. Morgado, K. König. Label-free SHG imaging and spectral FLIM of corneas using a sub-15 fs laser microscope. SPIE-Proceed. Vol. 8930, 89300V.
178. K. König, A. Ostendorf. Optically generated sub-100nm-structures for biomedical and technical applications. Physics Procedia 41(2013)1-3, doi:10.1016/j.phpro.2013.03.044

2015

179. K. König, M. Weinigel, R. Bückle, M. Kaatz, C. Hipler, K. Zens, S. Schneider, V. Huck. Monitoring wound healing by multiphoton tomography / endoscopy. SPIE-Proceed. Vol. 9303, 93030F
180. A. Batista, HG Breunig, A. Uchugonova, B. Seitz, AM Morgado, K. König. Two-Photon autofluorescence lifetime and SHG imaging of healthy and diseased human corneas. SPIE-Proceed. Vol. 9307, 93071Q
181. HG Breunig, A. Batista, A. Uchugonova, K. König. Software-aided automatic cell optoporation system. SPIE-Proceed. Vol. 9328, 93280D
182. A. Batista, HG Breunig, A. Uchugonova, AM Morgado, K. König. Characterization of porcine eyes based on autofluorescence lifetime imaging. SPIE-Proceed. Vol. 9329, 93290E
183. A. Uchugonova, HG Breunig, A. Batista, K. König. Optical Reprogramming with ultrashort femtosecond laser pulses. SPIE-Proceed. Vol. 9329, 93290U
184. M. Weinigel, HG Breunig, K. König. Histology in vivo: chemical contrast combined with clinical multimodal multiphoton tomography. SPIE-Proceed. Vol. 9329, 93291N
185. HG. Breunig, A. Batista, A. Uchugonova, K. König. Motionless polarization-resolved second harmonic generation imaging of corneal collagen. SPIE-Proceed. Vol. 9329, 93292P
186. A. Uchugonova, HG Breunig, A. Batista, K. König. Optical cell cleaning with NIR femtosecond laser pulses. SPIE-Proceed. Vol. 9328, 932819

187. K. König, M. Weinigel, A. Pietruszka, R. Bückle, N. Gerlach, U. Heinrich. Invited paper. Multiphoton Tomography of Astronauts. SPIE-Proceed. Vol. 9329, 93290Q
188. F. Leinenbach, HG. Breunig, K. König. Mobile laser lithography station for microscopic two-photon polymerization. SPIE-Proceed. Vol. 9350, 935018
189. M. Klötzer, M. Afshar, D. Feili, H. Seidel, K. König, M. Straub. Generation of laser-induced periodic surfaces structures in indium-tin-oxide thin films and two-photon lithography of ma-N photoresist by sub-15 femtosecond laser microscopy for liquid crystal cell application. SPIE-Proceed. Vol. 9351, 93511O
190. K. König. Multiphoton Tomography to detect Chemo- and Biohazards. SPIE-Proceed. Vol. 932933.

2016

191. K. König, S. Kantelhardt, D. Kalasauskas, E. Kim, A. Giese. First Multiphoton Tomography of Brain in Man. SPIE-Proceed. Vol. 9690, 96900A

2017

192. A. Batista, H.G. Breunig, A. Uchugonova, K. König. In vivo multiphoton imaging of the eyelid skin. SPIE-Proceed. Vol. 10037, 100370E
193. A. Batista, A. Uchugonova, HG. Breunig, K. König. Towards in vivo breast skin characterization using multiphoton tomography. SPIE-Proceed. Vol. 10069, 100691Y
194. HG. Breunig, A. Uchugonova, A. Batista, K. König. Femtosecond-laser assisted cell reprogramming. SPIE-Proceed. Vol. 10068, 1006811
195. K. König, A. Batista, T. Hager, B. Seitz. Invited paper. Multiphoton tomography of the human eye. SPIE-Proceed. Vol. 10069, 1006906.
196. C. Mess, K. Zens, C. Gorzelanny, D. Metze, TA. Luger, K. König, SW. Schneider, V. Huck. From morphology to clinical pathophysiology: multiphoton fluorescence lifetime imaging at patients`bedside. SPIE-Proceed. Vol.10069, 10069E.

2018

197. HG. Breunig, B. Sauer, A. Batista, K. König. Rapid vertical tissue imaging with clinical multiphoton tomography. SPIE-Proceed. Vol. 10679, 106790N
198. HG. Breunig, A. Batista, B. Sauer, A. König, K. König. Femtosecond-laser setups for cell-membrane poration. SPIE-Proceed. Vol. 10497, 104970K

2019

199. K. König, B. Ursprung, ES. Barnard, HG: Breunig. Invited paper: Subsurface photoluminescence lifetime imaging of photovoltaic materials using multiphoton tomography. SPIE-Proceed. Vol. 10882, 108820F
200. K. König, A. Batista, A. König, HG. Breunig. Invited paper: Multimodal multiphoton tomograph using a compact femtosecond fiber laser. SPIE-Proceed. Vol. 10882, 108821A
201. A. Batista, HG Breunig, T. Hager, B. Seitz, K. König. Non-invasive and label-free follow-up of accelerated-crosslinking using multiphoton tomography. SPIE-Proceed. Vol. 10858, 108581X

2020

202. HG. Breunig, A. Batista, A. König, K. König. Towards laser-assisted microfluidic-cell transfection. SPIE-Proceed. Vol. 10881, 108811W
203. A. Batista, HG. Breunig, B. Seitz, K. König. Towards improving human corneal care using two-photon imaging. MEDICON 2019, IFMBE Proceed. 76, 1805-1815, doi.org/10.1007/978-3-030-31635-8_219
204. HG. Breunig, K. König. Flexible multiphoton tomography pulse hollow-core fiber delivery. SPIE-Proceed. Vol. 11244, 112441S
205. A. Batista, HG. Breunig, K. König. High-speed imaging of gas-bubble formation during femtosecond laser cell optoporation. SPIE-Proceed. Vol. 11244, 112441K
206. K. König, A. Batista, M. Zieger, M. Kaatz, H. Hänssle. Clinical multimodal multiphoton tomography of pigmented skin lesions with an ultracompact femtosecond fiber laser. SPIE-Proceed. Vol 11211, 112110E
207. A. Periasamy, K. König, P. So. Introduction. SPIE-Proceed. Vol. 11244, 1124401-13

3. Books / Book Chapter

1985

1. K. König, Diplomarbeit: Beiträge zur Laser-Tumordiagnostik und Laser-Tumorthherapie mit Photosensibilisatoren. Friedrich-Schiller-Universität Jena.

1989

2. K. König, Promotion: Beiträge zur selektiven Photochemotherapie von Tumoren. Archiv Friedrich-Schiller-Universität Jena.

1992

3. W. Strauss, A. Rück, T. Köllner, K. König, H. Schneckenburger. Photoinduced reactions of porphyrin photosensitizers. (B) Hydrophilic meso-tetraphenylporphyrins. In: Laser in Medicine, eds. W. Waidelich, R. Waidelich, A. Hofstetter, Springer Verlag, 1992, pp.122-127.

4. K. König, A. Rück, S. Auchter, W. Strauss, H. Schneckenburger. Photoinduced reactions of porphyrin photosensitizers. (A) Hematoporphyrin Derivative (HpD). In: Laser in Medicine, eds. W. Waidelich, R. Waidelich, A. Hofstetter, Springer Verlag, 1992, pp.117-121.

5. K. König, J. Hemmer, H. Schneckenburger. Laser-induced autofluorescence of squamous cell carcinoma. In: P. Spinelli, M. Dal Fante, R. Marchesini: Photodynamic Therapy and Biomedical Lasers. Elsevier Science Publishers, 1992, pp. 903-906.

6. K. König, H. Schneckenburger, A. Rück, H. Meyer. Fluorescence Diagnosis and Photodynamic Therapy of Acne vulgaris. In: P. Spinelli, M. Dal Fante, R. Marchesini: Photodynamic Therapy and Biomedical Lasers. Elsevier Science Publishers, 1992.

7. K. König, F. Genze, E. Reich, R. Miller, A. Rück, D. Repassy. PDT of tumor-bearing mice using liposome delivered texaphyrins. In: P. Spinelli, M. Dal Fante, R. Marchesini (eds.) Photodynamic therapy and biomedical lasers. Excerpta Medica, 1992, pp. 802-805. ISBN:0444814302

8. H. Schneckenburger, K.König, K. Kunzi-Rapp, A. Rück, W. Strauss, C. Westphal-Frösch, V. Gottfried and S. Kimel. Time resolved and microscopic detection of porphyrin sensitizers and their photodynamic action in-vivo. In: P. Spinelli, M. Dal Fante, R. Marchesini (eds.) Photodynamic therapy and biomedical lasers. Excerpta Medica, 1992, pp. 893-897. ISBN: 0444814302,

1994

9. K. König, F. Nowak, F. Genze, H. Schneckenburger. In-vivo autofluorescence measurements during photodynamic damage of cells and tumor tissue.

In: Laser in Medicine 1993.W. Waidelich, R. Waidelich, A. Hofstetter (eds.), Springer Verlag, 1994, pp. 95-99.

10. K. König, K. Kunzi-Rapp. On-line measurement of photodynamically induced lysis of erythrocytes with and without nucleus by small angle light scattering and video-intensified microscopy.

In: Laser in Medicine 1993, W. Waidelich, R. Waidelich, A. Hofstetter (eds.), Springer Verlag, 1994, 91-94.

11. R. Sailer, W. Strauss, K. König, A. Rück, R. Steiner. Untersuchungen zu Porphyrinstoffwechsel und photodynamische Inaktivierung am Gram-negativen Bakterium Pseudomonas aeruginosa.

In: Laser in Medicine 1993, W. Waidelich, R. Waidelich, A. Hofstetter (eds.), Springer Verlag, 1994, pp. 109-112.

12. H. Schneckenburger, K. König, T. Dienersberger, R. Hahn. Time-gated video microscopy and spectroscopy. In: Laser in Medicine 1993, W. Waidelich, R. Waidelich, A. Hofstetter (eds.), Springer Verlag, 1994, pp.497-501.

13. G. Beck, K. König, R. Steiner. Optical detection of topically applied photosensitizers by in vivo remission spectroscopy.

In: Laser in Medicine 1993, W. Waidelich, R. Waidelich, A. Hofstetter (eds.), Springer Verlag, 1994, pp.469-472.

14. W. Strauss, W. Mohr, K. König, K. Miller, R. Sailer, M. Gschwend, A. Rück, H. Schneckenburger, R. Steiner. MesoTetra(4-Carboxyphenyl)Porphyrin-Organverteilung und photodynamische Therapie.

In: Laser in Medicine 1993, W. Waidelich, R. Waidelich, A. Hofstetter (eds.), Springer Verlag, 1994, pp.104-108.

1995

15. K. König, B.J. Tromberg, M.W. Berns. One- and Two Photon Excited Fluorescence of Motile Cells in the Optical Trap. In: Laser in Research and Engineering, W. Waidelich, H. Hügel, H. Opower, H. Tiziani, R. Wallenstein, W. Zinth (eds.), Springer Verlag 1995, 164-167.

16. K. König, P. Fergin, M.W. Berns, B.J. Tromberg. Rapid spectrally-resolved fluorescence imaging of skin after topical ALA-Administration.

In: Laser in Medicine 1995, W. Waidelich, G. Staehler, R. Waidelich (eds.), Springer Verlag 1995, 587-590.

17. H. Schneckenburger, M. Gschwend, K. König, R. Sailer, W. Strauss. Fluorescence Lifetime Imaging and Spectroscopy in Photobiology and Photomedicine.

In: Fluorescence Microscopy and Fluorescent Probes, J. Slavik (ed.), Plenum Press, 1995, 71-78.

18. H. Schneckenburger, M. Gschwend, K. König, K. Kunzi-Rapp, R. Sailer, W. Strauss. Laser in der Diagnostik am Beispiel der Fluoreszenz-Diagnostik und Laser-Mikroskopie.

In: Lasertechnik und Lasermedizin, H.D. Reichenbach (ed.), Ecomed-Verlag, Lundsberg.

1997

19. K. König, K.-J. Halbhuber: Zwei-Photonen-Femtosekundenmikroskopie vitaler Zellen. In: W. Waidelich, R. Waidelich, A. Hofstetter (eds.). Laser in Medicine. Proceed. 13th Congress LASER 97. Springer-Verlag, 1997.

1999

20. K. König, Habil-Arbeit: Biomedizinische Applikationen der optischen Mikromanipulation und Zweiphotonen-Anregung vitaler Zellen mittels Naher-Infrarot Laser-Mikroskopie. Shaker Verlag, 1999, ISBN: 3-8265-6788-9

2000

21. K. König. Photoproduct formation during porphyrin photodynamic therapy.

In: PiusWyss, Yona Tadir and Bruse J. Tromberg, Urs Haller (eds.): Photomedicine in Gynecology and Reproduction. Karger, 2000, pp. 86-95. ISBN: 3-8055-6905-X

2001

22. K. König. Cellular response to laser radiation in fluorescence microscopes.

In: Periasamy (ed.). Methods in Cellular Imaging, Oxford, UK 2001, pp 236-251.

2002

23. K. König and Uday K. Tirlapur. Cellular and Subcellular Perturbations During Multiphoton Microscopy.

In: Diaspro (ed.) Confocal and Two-Photon Microscopy, Foundations, Applications and Advances. 2002. pp. 191-205, ISBN: 0-471-40920-0

24. Uday K. Tirlapur and K. König. Two-Photon Near-Infrared Femtosecond Laser Scanning Microscopy in Plant Biology. In: Diaspro (ed.) Confocal and Two-Photon Microscopy, Foundations, Applications and Advances. 2002. pp. 449-468. ISBN: 0-471-40920-0

2003

25. K. König. Lasertechnik. In: Raulin, Greve (eds.): Laser und IPL-Technologie in der Dermatologie und Ästhetischen Medizin. Schattauer, 2003, pp. 4-14. ISBN 3-7945-2236-2

26. K. König. Biophysikalische Grundlagen. In: Raulin, Greve (eds.): Laser und IPL-Technologie in der Dermatologie und Ästhetischen Medizin. Schattauer, 2003, pp. 4-14. ISBN 3-7945-2236-2

27. K. König. High-resolution multiphoton imaging and nanosurgery of the cornea using femtosecond laser pulses. In: Lasers in ophthalmology. Basics, diagnostic and surgical aspects. Eds. F. Fankhauser & S. Kwasniewska. Kugler Publications (2003) 79-89. ISBN:9062991890.

2005

28. K. König. Multiphoton Multicolor FISH and nanoprocessing of chromosomes with near infrared femtosecond laser pulses. In: Hemmerich and Stephan Diekmann (eds.). Visions of the cell nucleus. American Scientific Publishers. 2005. pp. 268-280, ISBN: 1-5883-027-6

2006

29. K. König. Cell damage during multi-photon microscopy. In. J.B. Pawley (ed.). Handbook of biological confocal microscopy. Third edition. Springer Science+Business Media, NY, USA 2006 pp. 680-689. ISBN 987-0387-25921-5

30. K. König. High resolution in vivo multiphoton tomography of skin.

In: K.P. Wilhelm, E. Berardesca, P. Elsner, H.I. Maibach (eds.): Bioengineering of the skin. Skin imaging and analysis. Informa healthcare. New York and London, 2006, pp. 111-126. ISBN: 978-0-8493-3817-5

2007

31. K. König. Minimal Invasive Medizin. In: H.J. Bullinger (editor): Technologie-Führer. Springer-Verlag. Berlin, Heidelberg, New York, 2007, pp. 218-221. ISBN 103-540-33788-1

32. K. König, F. Bauerfeld, D. Sauer, H. Schuck, A. Uchugonova, E. Lei, M. Stark, T. Velten, R. Bückle, R. LeHarzic. Femtosecond laser nanomachining of silicon wafers and two-photon nanolithography for stem cell research.

In: Satoshi Kawata, Hiroshi Masuhara and Fumio Tokunaga (eds.): Handai Nanophotonics: Nano Biophotonics: Science and Technology. Volume 3. First edition. Elsevier, 2007, pp. 287-296. ISBN-13: 978-0-444-52878-0, ISBN-10: 0-444-52878-4, ISSN: 1574-0641

2008

33. K. König. Multiphoton-induced cell damage. In: P. So and B.R. Masters (eds.): Handbook of Biological Nonlinear Optical Microscopy. Oxford University Press. 2008 pp. 334-347. ISBN 987-0-19-516260-8
34. K. König. Femtosecond Laser Nanoprocessing. In: P. So and B.R. Masters (eds.): Handbook of Biological Nonlinear Optical Microscopy. Oxford University Press. 2008 pp. 689-706. ISBN 987-0-19-516260-8

2009

35. K.König and A. Uchugonova. Multiphoton Fluorescence Lifetime Imaging at the Dawn of Clinical Application. In: Ammasi Periasamy and Robert M. Clegg (eds.): FLIM in Biology and Medicine. Taylor & Francis (CRC Group). Expected date of Publication: March 2009.
36. K. König. Minimally invasive medicine. In: Hans-Jörg Bullinger (ed): Technology Guide. Principles, Applications, Trends. Springer. 2009. pp. 202-205. ISBN 978-3-540-88545-0. e-ISBN 978-3-540-88547-4

2010

37. K. König and A. uchugonova. Multiphoton Imaging and Nanoprocessing of Human Stem Cells. In: Francesco S. Pavone (ed.): Laser Imaging and Manipulation in Cell Biology. Wiley-VCH Verlag GmbH & Co. 2010. pp. 9-34. ISBN 978-527-40929-7

2015

38. K. König and A. Ostendorf (eds.). Optically induced nanostructures. Biomedical and technical applications. De Gryuter. Berlin. 2015. ISBN 978-3-11-033718-1, e-ISBN (PDF) 978-3-11-035432-4, e-ISBN (EPUB) 978-3-11-038350-8
39. A. Ostendorf and K. König. Tutorial: Laser in Material Processing. In: K. König and A. Ostendorf (eds.). Optically induced nanostructrues. Biomedical and technical applications. De Gryuter. Berlin. 2015. pp. xxii-xi. ISBN 978-3-11-033718-1, e-ISBN (PDF) 978-3-11-035432-4, e-ISBN (EPUB) 978-3-11-038350-8
40. K. König, H. Seidel, M. Afshar, M. Klötzer, D. Feili, M. Straub. Nanoprocessing using near infrared sub-15 femtosecond laser microscopes. In: K. König and A. Ostendorf (eds.). Optically induced nanostructrues. Biomedical and technical applications. De Gryuter. Berlin. 2015. pp. 3-24, ISBN 978-3-11-033718-1, e-ISBN (PDF) 978-3-11-035432-4, e-ISBN (EPUB) 978-3-11-038350-8
41. A. Uchugonova, H.G. Breunig, C. Augsburg, M. Monaghan, K. Schenke-Layland. Optical reprogramming and optical characterization of cells using femtosecond lasers. In: K. König and A. Ostendorf (eds.). Optically induced nanostructrues. Biomedical and technical applications. De Gryuter. Berlin. pp. 159-178. 2015. ISBN 978-3-11-033718-1, e-ISBN (PDF) 978-3-11-035432-4, e-ISBN (EPUB) 978-3-11-038350-8
42. WY Sanchez, M. Pastore, IN Haridass, K. König, W. Becker, MS Roberts. Fluorescence Lifetime Imaging of the Skin. In: W. Becker (ed.). Advanced Time-Correlated Single Photon Counting Applications. Springer International Publishing, Springer series in Chemical Physics Vol. 111. ISBN 978-3-319-14928-8.

2017

43. K. König. Multiphoton Tomography. In: Agache's Measuring the skin. Springer 2017. Pp. 1177-1189. ISBN 978-3-319-32381-7.

2018

44. K. König (Ed.) Multiphoton Microscopy and Fluorescence Lifetime Imaging. De Gruyter, Berlin, 2018. ISBN 978-3-11-043898-7.
45. K. König. Brief history of fluorescence lifetime imaging. In: K. König (Ed.) Multiphoton Microscopy and Fluorescence Lifetime Imaging. De Gruyter, Berlin, 2018. ISBN 978-3-11-043898-7, pp 3-13.
46. K. König. Laser tweezers are sources of thwo-photon effects. In: K. König (Ed.) Multiphoton Microscopy and Fluorescence Lifetime Imaging. De Gruyter, Berlin, 2018. ISBN 978-3-11-043898-7, pp 177-186.
47. K. König. Femtosecond laser nanoprocessing. In: K. König (Ed.) Multiphoton Microscopy and Fluorescence Lifetime Imaging. De Gruyter, Berlin, 2018. ISBN 978-3-11-043898-7, pp 209-221.
48. HG Breunig, K. König. Cryomultiphoton imaging. In: K. König (Ed.) Multiphoton Microscopy and Fluorescence Lifetime Imaging. De Gruyter, Berlin, 2018. ISBN 978-3-11-043898-7, pp 227-240.
49. K. König. Multiphoton tomography (MPT). In: K. König (Ed.) Multiphoton Microscopy and Fluorescence Lifetime Imaging. De Gruyter, Berlin, 2018. ISBN 978-3-11-043898-7, pp 247-263.
50. M. Weinigel, HG Breunig, K. König. Clinical multimodal CARS imaging. In: K. König (Ed.) Multiphoton Microscopy and Fluorescence Lifetime Imaging. De Gruyter, Berlin, 2018. ISBN 978-3-11-043898-7, pp 269-283.
51. M. Balu, KM Kelly, RM Harris, K. König, CB Zachary, BJ Tromberg. In vivo multiphoton microscopy of human skin. In: K. König (Ed.) Multiphoton Microscopy and Fluorescence Lifetime Imaging. De Gruyter, Berlin, 2018. ISBN 978-3-11-043898-7, pp 287-296.

52. A. Batista, HG Breunig, C. Donitzky, K. König. Two-photon microscopy and fluorescence lifetime imaging of the cornea. In: K. König (Ed.) *Multiphoton Microscopy and Fluorescence Lifetime Imaging*. De Gruyter, Berlin, 2018. ISBN 978-3-11-043898-7, pp 301-316.
53. A. Holmes, C. Thorling, X. Liu, X. Liang, H. Wang, HG Breunig, K. König, H. Studier, MS Roberts. Revealing interaction of dyes and nanomaterials by multiphoton imaging. In: K. König (Ed.) *Multiphoton Microscopy and Fluorescence Lifetime Imaging*. De Gruyter, Berlin, 2018. ISBN 978-3-11-043898-7, pp 3-13.

2020

54. *Multiphoton Microscopy in the biomedical sciences XX*. SPIE Proceedings 2020 eds. Periasamy, So, König

4. Patents

1988

1. W. Dietel, K. König: Anordnung zur Photochemotherapie, Phototherapie und Fluoreszenzdiagnostik. DD 254139
2. K. König, W. Dietel: Verfahren zur Herstellung eines Arzneimittels für die thermische Behandlung von tumorösem Gewebe. DD 259351

1989

3. K. König, V. Bockhorn, W. Dietel: Verfahren zur Herstellung eines Arzneimittels zur photochemotherapeutischen Behandlung, gleichzeitiger Diagnose und Grading-Bestimmung. DD 272033
4. R. König, J. Lademann, K. König: Anordnung zur Photochemotherapie und Fluoreszenzdiagnostik. DD 262363

1991

5. K. König. Verfahren zur Herstellung eines Arzneimittels für die photodynamische Behandlung von Tumorerkrankungen. DD 286507

1993

6. R. Hibst, K. König: Einrichtung zum Erkennen von Karies an Zähnen.
Deutsche Patentanmeldung 14.01.92/ DE 42 00 741. Europäische Patentanmeldung 13.1.93/ EP 0555645 A1
Anmelder: Kaltenbach&Voigt GmbH&CO

1997

7. K. König. DE 197 19 344 A1: Anordnung zur optischen Mikromanipulation, Analyse und Bearbeitung von Objekten. Patentanmeldung: Nr. 19719344.7 vom 7.5.97.
8. K. König. DE 197 19 345 A1: Verfahren zur optischen Bearbeitung von Zellstrukturen und Biomolekülen. Patentanmeldung: Nr. 19719345.5 vom 7.5.97.
9. K. König. DE 197 54 254 A1: Verfahren zur optischen 3D Speicherung von Daten. Patentanmeldung Nr. 19754254.9 vom 6.12.97.

1999

10. K. König, K.-J. Halbhuber, I. Riemann, P. Fischer.
Verfahren zur optischen Anregung von Fluorophor-markierter DNA und RNA.
Deutsche Patentanmeldung 29.7.99/ DE19935766 A1
Internationale Anmeldung: 11.7.2000/ WO 01/09591 A1, PCT/EP00/06546
United States Patent 04.03.2003/ US 6,528,802 B1
Anmelder: Carl Zeiss Jena GmbH
11. DE 199 39 706 A1: Fluorophor für die Multiphotonen-Laserscanning-Mikroskopie.

2000

12. K. König. DE 100 65 146 A1: Verfahren und Anordnung zur nicht-invasiven dreidimensionalen optischen Untersuchung und Therapie der Haut. 22.12.2000/ DE 10065146 A1

2001

13. W. Fritzsche, J.M. Köhler, K. König. DE 101 62 176 A1: Verfahren zum simultanen positionsspezifischen Schneiden von fadenförmigen organischen Molekülketten, insbesondere DNA.
13.12.2000/ DE 10162176 A1
Patenterteilung : 23.03.2006/ DE 10162176
Internationale Anmeldung 12.12.2001/ PCT/EPO1/14591
14. K. König. DE 101 48 783 A1: Verfahren zur nicht-invasiven optischen Bearbeitung von Geweben des Auges sowie zu dessen Diagnose und Vorrichtung zur Durchführung dieser Verfahren.
27.03.2002/DE 10115751.7 28.09.2001/ DE 10148783 A1
Internationale Anmeldung: 26.03.2002/ EP0203370
Anmelder: Wavelight AG
15. K. König. DE 201 17 294 U1: Scansystem für die Fluoreszenzdiagnostik humaner Haut.
19.10.2001/ DE 20117294.1

2002

16. K. König. DE 102 23 922 A1: Laser-Anordnung zum Transfer von Molekülen in Zellen.
22.05.2002/ DE 10223992 A1

17. K. König, U. Tirlapur. DE 102 23 921 A1: Laser-Verfahren zum Transfer von Molekülen in vitale Zellen.
23.5.2002/ DE 10223921
Internationale Anmeldung: PCT/DE03/01708
US-Anmeldung: 22.05.2003
Europäische Anmeldung: 23.12.2004
Australische Anmeldung: 22.05.2003
Chinesische Anmeldung: 22.05.2003/ CN 1653185 A1

2003

18. K. König, I. Riemann. DE 103 29 674 A1: Laserverfahren und Anordnung zur Markierung und Gewinnung von Materialien, Zellbestandteilen, Zellen und Gewebebestandteilen
30.06.2003/ DE 10329674.3-41, 01.07.2015: Gegen das Patent wurde kein Einspruch erhoben.

2005

19. K. König, D. Sänger, R. LeHarzic. DE 10 2005 001 443 A1: Sicherheitsmarkierung in einem transparenten Polymer. 10.01.2005/ 10200501443.7
20. K. König. DE 10 2005 034 838 A1: Verfahren zur Detektion von pathogenen Mikroorganismen und/oder chemischen Gefahrenstoffen sowie Nachweisvorrichtung. 26.10.2005/ 102005051643.2
21. F. Volke, K. König. DE 10 2006 046 925 A1: Vorrichtung zur NMR-Untersuchung intrakorporaler Körperbereiche. 25.07.2005/ DE-102005034838.6

2005, 2006

22. K. König. DE 10 2006 046 925 A1: Verfahren und Anordnung zur Laserendoskopie für die Mikrobearbeitung.
29.09.2006, 102006046925A1
23. K. König, R. LeHarzic. EP 1 787 607 B1:
Anordnung zur Durchführung chirurgischer Laserbehandlungen des Auges.

2008, 2010

24. K. König, HG. Breunig. DE 10 2010 047 578 A1: Verwendung einer Kombination von Auswertungsverfahren in einer Vorrichtung zur Detektion von Tumoren sowie Vorrichtung zur Detektion von Tumoren.
25. K. König. Gebrauchsmuster. DE 20 2008 000 954 U1: Femtosekunden-Lasersystem zur Materialbearbeitung.
26. K. König. Gebrauchsmuster. DE 20 2010 009 249 U1: Flexibles Scansystem für die Diagnostik humaner Haut.

2012

27. K. König, M. Weinigel. DE 10 2011 115 944 / EP 2 579 085 B1:
Flexibles nichtlineares Laserscanning Mikroskop zur nichtinvasiven dreidimensionalen Detektion.
28. K. Koenig, K. Vogler, Ch. Wuellner, Ch. Donitzky. EP 2 822 519 B1:
Vorrichtung zur Hornhautgewebeerkenkung und -überwachung.

2015

29. K. König, A. Uchugonova. DE 10 2015 101 838 A1:
Verfahren und Vorrichtung zur Reprogrammierung von lebenden Zellen.

2019

30. K. König, M. Weinigel. EP 3542710A1: Multimodales Bildgebungssystem und Verfahren zur nicht-invasiven Untersuchung eines Untersuchungsobjekts.
31. K. König. DE 102019100295A1: Handgerät zur Fluoreszenz-Anregung und zur Bestrahlung von Mikroorganismen im Mund- und Rachenraum.

2020

32. K. König. Gebrauchsmuster DE202020101622U1: Handgerät zur Fluoreszenz-Anregung und zur Bestrahlung von Mikroorganismen im Mund- und Rachenraum.